

Volume 40, 41, 42, 43, 44
(1989, 1990, 1991, 1992, 1993)

Author Index

A

- Abbott, N. A., B. G. Coombe, and P. J. Williams. The contribution of hydrolyzed flavor precursors to quality differences in Shiraz juice and wines: An investigation by sensory descriptive analysis. 42:167-74.
- Abgueguen, O., and R. B. Boulton. The crystallization kinetics of calcium tartrate from model solutions and wines. 44:65-75.
- Adams, D. F. See D. O. Adams. 43:239-43.
- Adams, D. O., D. J. Bates, D. F. Adams, and K. E. Franke. The effect of agmatine and other precursors on the accumulation of putrescine in grape leaves. 43:239-43.
- _____, K. E. Franke, and L. P. Christensen. Elevated putrescine levels in grapevine leaves that display symptoms of potassium deficiency. 41:121-5.
- _____, and C. Liyanage. Glutathione increases in grape berries at the onset of ripening. 44:333-8.
- _____, and C. Liyanage. Modification of an enzymatic glutathione assay for determination of total glutathione in grapevine tissues. 42:137-40.
- See K. E. Franke. 43:153-8.
- See C. Liyanage. 44:8-12.
- Agrelo, D. See E. Longo. 42:141-4.
- Alba, J. See C. L. Duitschaever. 42:19-25.
- Alcántara, R. See J. M. García-Ruiz. 42:336-40.
- Allen, B. See C. L. Duitschaever. 42:19-25.
- Allen, M. S., M. J. Lacey, R. L. N. Harris, and W. V. Brown. Contribution of methoxypyrazines to Sauvignon blanc wine aroma. 42:109-12.
- See M. J. Lacey. 42:103-8.
- Almy, J. See C. S. Ough. 40:219-20.
- Amano, Y. See J. C. Ogonna. 40:292-9.
- Ambattle-Espunyes, A. See M. C. Vidal-Carou. 41:160-7.
- Amemiya, H. See Nami Yamamoto. 42:358-63.
- An, D., and C. S. Ough. Urea excretion and uptake by wine yeasts as affected by various factors. 44:35-40.
- See C. S. Ough. 41:68-73; 42:26-40.
- Andersen, P. C., and B. V. Brodbeck. Chemical composition of xylem exudate from bleeding spurs of *Vitis rotundifolia* Noble and *Vitis* hybrid Suwannee in relation to pruning date. 40:155-160.
- _____, and B. V. Brodbeck. Influence of fertilization on xylem fluid chemistry of *Vitis vinifera* hybrid Suwannee. 42:245-51.
- Anderson, M. M. See M. A. Matthews. 40:52-60.
- Andrews, J. T., H. Heymann, and M. E. Eversieck. Sensory and chemical analyses of Missouri Seyval blanc wines. 41:116-20.
- Andioc, V. See J. F. Cavin. 44:76-80.
- Andricopoulos, N. See V. Voulgaropoulos. 42:73-5.
- Arancibia, R. A. See M. C. Lagunas-Solar. 43:266-74.
- Arnold, G. M. See J. Bakker. 44:27-34.
- Arnold, R. A., and A. M. Bledsoe. The effect of various leaf removal treatments on the aroma and flavor of Sauvignon blanc wine. 41:74-6.
- Ash, J. See R. Degré. 40:309-15.
- Asmundson, R. V. See W. J. Kelly. 40:277-82.
- Assemi, M. See J. L. Smilanick. 41:131-6.
- Avedovech, R. M., Jr., M. R. McDaniel, B. T. Watson, and W. E. Sandine. An

evaluation of combinations of wine yeast and *Leuconostoc oenos* strains in malolactic fermentation of Chardonnay wine. 43:253-60.

B

- Bakalinsky, A. T. See J. D. Wightman. 43:283-9.
- Bakker, J., and G. M. Arnold. Analysis of sensory and chemical data for color evaluation of a range of red rot wines. 44:27-34.
- Bandman, E. B. See J. E. Bowers. 44:266-74.
- Barbas, J. I. See J. Mora. 41:156-9.
- Barillère, J. M. See V. Cheynier. 40:36-42.
- Barre, P. See M. Bely. 41:319-24.
- See J. M. Sablayrolles. 44:127-33, 134-8.
- See J. M. Salmon. 44:56-64.
- Bartley, C. E. See C. G. Edwards. 41:48-56.
- Bartolucci, R. Philosophical considerations in converting to organic vineyard production. 43:294-5.
- Bary, A. See R. L. Wample. 42:67-72.
- Bass, A. W. See K. Ophel. 41:325-9.
- Bates, D. J. See D. O. Adams. 43:239-43.
- Bates, R. P. See C. A. Sims. 40:272-6; 41:182-5, 273-6; 42:128-32.
- Baumhardt, R. L. See R. J. Lascano. 43:159-65.
- See W. N. Lipe. 43:355-61.
- Baumes, R. See S. Bitteur. 43:41-8.
- See C. Tesnière. 40:183-8.
- Bayonove, C. See S. Bitteur. 43:41-8.
- See C. Tesnière. 40:183-8.
- Beelman, R. B. See C. G. Edwards. 41:48-56.
- Belleville, M.-P. See J.-M. Brillouet. 42:150-2.
- Bely, M., J. M. Sablayrolles, and P. Barre. Description of the alcoholic fermentation kinetics: Its variability and significance. 41:319-24.
- See J. M. Salmon. 44:56-64.
- Benitez, J. G., M. M. Grandal Delgado, and J. D. Martin. Study of the acidification of sherry musts with gypsum and tartaric acid. 44:400-404.
- Ben-Tal, Y. Effects of gibberellin treatments on ripening and berry drop from Thompson Seedless grapes. 41:142-6.
- Benz, M. See W. M. Kliever. 40:259-64.
- Berna, A. See A. Mulet. 43:221-6.
- Bertrand, A. See A. Miele. 44:180-6.
- Bessis, R. See P. Jeandet. 42:41-6.
- Bettiga, L. J. See W. D. Gubler. 42:233-6.
- Bhutani, V. P. See V. K. Joshi. 41:229-31.
- Bianchi, M. See L. P. Christensen. 41:77-83; 42:227-32.
- Biscay, P. J. See L. E. Williams. 42:113-17.
- Bissell, P., A. Ewart, and W. Sangtippawan. Loading concentrations for tartaric and malic acid for single column HPLC organic acid analysis. 40:316-19.
- Bisson, L. F. See F. Ferreira Monteiro. 40:1-8; 42:47-57, 199-208; 43:1-10, 11-17, 18-22.
- See L. S. Lagace. 41:147-55.
- See C. J. McClellan. 40:9-15.
- Bitteur, S., C. Tesnière, J. Sarris, R. Baumes, C. Bayonove, and C.

Volume 40, 41, 42, 43, 44
(1989, 1990, 1991, 1992, 1993)

Author Index

A

- Abbott, N. A., B. G. Coombe, and P. J. Williams. The contribution of hydrolyzed flavor precursors to quality differences in Shiraz juice and wines: An investigation by sensory descriptive analysis. 42:167-74.
- Abgueguen, O., and R. B. Boulton. The crystallization kinetics of calcium tartrate from model solutions and wines. 44:65-75.
- Adams, D. F. See D. O. Adams. 43:239-43.
- Adams, D. O., D. J. Bates, D. F. Adams, and K. E. Franke. The effect of agmatine and other precursors on the accumulation of putrescine in grape leaves. 43:239-43.
- _____, K. E. Franke, and L. P. Christensen. Elevated putrescine levels in grapevine leaves that display symptoms of potassium deficiency. 41:121-5.
- _____, and C. Liyanage. Glutathione increases in grape berries at the onset of ripening. 44:333-8.
- _____, and C. Liyanage. Modification of an enzymatic glutathione assay for determination of total glutathione in grapevine tissues. 42:137-40.
- See K. E. Franke. 43:153-8.
- See C. Liyanage. 44:8-12.
- Agrelo, D. See E. Longo. 42:141-4.
- Alba, J. See C. L. Duitschaever. 42:19-25.
- Alcántara, R. See J. M. García-Ruiz. 42:336-40.
- Allen, B. See C. L. Duitschaever. 42:19-25.
- Allen, M. S., M. J. Lacey, R. L. N. Harris, and W. V. Brown. Contribution of methoxypyrazines to Sauvignon blanc wine aroma. 42:109-12.
- See M. J. Lacey. 42:103-8.
- Almy, J. See C. S. Ough. 40:219-20.
- Amano, Y. See J. C. Ogonna. 40:292-9.
- Ambattle-Espunyes, A. See M. C. Vidal-Carou. 41:160-7.
- Amemiya, H. See Nami Yamamoto. 42:358-63.
- An, D., and C. S. Ough. Urea excretion and uptake by wine yeasts as affected by various factors. 44:35-40.
- See C. S. Ough. 41:68-73; 42:26-40.
- Andersen, P. C., and B. V. Brodbeck. Chemical composition of xylem exudate from bleeding spurs of *Vitis rotundifolia* Noble and *Vitis* hybrid Suwannee in relation to pruning date. 40:155-160.
- _____, and B. V. Brodbeck. Influence of fertilization on xylem fluid chemistry of *Vitis vinifera* hybrid Suwannee. 42:245-51.
- Anderson, M. M. See M. A. Matthews. 40:52-60.
- Andrews, J. T., H. Heymann, and M. E. Eversieck. Sensory and chemical analyses of Missouri Seyval blanc wines. 41:116-20.
- Andioc, V. See J. F. Cavin. 44:76-80.
- Andricopoulos, N. See V. Voulgaropoulos. 42:73-5.
- Arancibia, R. A. See M. C. Lagunas-Solar. 43:266-74.
- Arnold, G. M. See J. Bakker. 44:27-34.
- Arnold, R. A., and A. M. Bledsoe. The effect of various leaf removal treatments on the aroma and flavor of Sauvignon blanc wine. 41:74-6.
- Ash, J. See R. Degré. 40:309-15.
- Asmundson, R. V. See W. J. Kelly. 40:277-82.
- Assemi, M. See J. L. Smilanick. 41:131-6.
- Avedovech, R. M., Jr., M. R. McDaniel, B. T. Watson, and W. E. Sandine. An

evaluation of combinations of wine yeast and *Leuconostoc oenos* strains in malolactic fermentation of Chardonnay wine. 43:253-60.

B

- Bakalinsky, A. T. See J. D. Wightman. 43:283-9.
- Bakker, J., and G. M. Arnold. Analysis of sensory and chemical data for color evaluation of a range of red port wines. 44:27-34.
- Bandman, E. B. See J. E. Bowers. 44:266-74.
- Barbas, J. I. See J. Mora. 41:156-9.
- Barillère, J. M. See V. Cheynier. 40:36-42.
- Barre, P. See M. Bely. 41:319-24.
- See J. M. Sablayrolles. 44:127-33, 134-8.
- See J. M. Salmon. 44:56-64.
- Bartley, C. E. See C. G. Edwards. 41:48-56.
- Bartolucci, R. Philosophical considerations in converting to organic vineyard production. 43:294-5.
- Bary, A. See R. L. Wample. 42:67-72.
- Bass, A. W. See K. Ophel. 41:325-9.
- Bates, D. J. See D. O. Adams. 43:239-43.
- Bates, R. P. See C. A. Sims. 40:272-6; 41:182-5, 273-6; 42:128-32.
- Baumhardt, R. L. See R. J. Lascano. 43:159-65.
- See W. N. Lipe. 43:355-61.
- Baumes, R. See S. Bitteur. 43:41-8.
- See C. Tesnière. 40:183-8.
- Bayonove, C. See S. Bitteur. 43:41-8.
- See C. Tesnière. 40:183-8.
- Beelman, R. B. See C. G. Edwards. 41:48-56.
- Belleville, M.-P. See J.-M. Brillouet. 42:150-2.
- Bely, M., J. M. Sablayrolles, and P. Barre. Description of the alcoholic fermentation kinetics: Its variability and significance. 41:319-24.
- See J. M. Salmon. 44:56-64.
- Benitez, J. G., M. M. Grandal Delgado, and J. D. Martin. Study of the acidification of sherry musts with gypsum and tartaric acid. 44:400-404.
- Ben-Tal, Y. Effects of gibberellin treatments on ripening and berry drop from Thompson Seedless grapes. 41:142-6.
- Benz, M. See W. M. Kliever. 40:259-64.
- Berna, A. See A. Mulet. 43:221-6.
- Bertrand, A. See A. Miele. 44:180-6.
- Bessis, R. See P. Jeandet. 42:41-6.
- Bettiga, L. J. See W. D. Gubler. 42:233-6.
- Bhutani, V. P. See V. K. Joshi. 41:229-31.
- Bianchi, M. See L. P. Christensen. 41:77-83; 42:227-32.
- Biscay, P. J. See L. E. Williams. 42:113-17.
- Bissell, P., A. Ewart, and W. Sangtippawan. Loading concentrations for tartaric and malic acid for single column HPLC organic acid analysis. 40:316-19.
- Bisson, L. F. See F. Ferreira Monteiro. 40:1-8; 42:47-57, 199-208; 43:1-10, 11-17, 18-22.
- See L. S. Lagace. 41:147-55.
- See C. J. McClellan. 40:9-15.
- Bitteur, S., C. Tesnière, J. Sarris, R. Baumes, C. Bayonove, and C.

- Flanzy. Carbonic anaerobiosis of Muscat grapes. I. Changes in the profiles of free and bound volatiles. 43:41-8.
- Blaise, A. See M. Goetghebeur. 41:295-300.
- Bledsoe, A. M. See R. A. Arnold. 41:74-6.
See J. T. English. 41:137-41.
See J. J. Marois. 44:261-5.
- Boggero, J. See L. P. Christensen. 41:77-83.
- Bongers, A. J., R. T. Hinsch, and V. G. Bus. Physical and chemical characteristics of raisins from several countries. 42:76-8.
- Boone, C., A.-M. Sdicu, J. Wagner, R. Degré, C. Sanchez, and H. Bussey. Integration of the yeast K1 killer toxin gene into the genome of marked wine yeasts and its effect on vinification. 41:37-42.
- Borrull, F. See M. Calull. 42:268-73.
See R. M. Marcé. 40:194-8; 41:289-94.
- Bosso, C. See J.-M. Brillouet. 41:29-36.
- Bostock, R. M. See J. J. Marois. 44:261-5.
- Botella, M. A., L. Perez-Rodriguez, B. Domecq, and V. Valpuesta. Amino acid content of fino and oloroso sherry wines. 41:12-15.
- Bouard, J. See A. Miele. 44:180-6.
- Boulton, R. B. See O. Abgueuen. 44:65-75.
See C. S. Thomas. 44:211-16.
- Boursiquot, J. M. See M. A. Walker. 43:261-5.
- Bourzeix, M. See J. M. Ricardo-da-Silva. 44:168-72.
- Bowen, P. See W. M. Kiewer. 40:259-64.
- Bowers, J. E., E. B. Bandman, and C. P. Meredith. DNA fingerprint characterization of some wine grape cultivars. 44:266-74.
- Boyle, T. A., and L. Hsu. Identification and quantitation of ellagic acid in muscadine grape juice. 41:43-7.
- Brillouet, J.-M., M.-P. Belleville, and M. Moutounet. Possible protein-polysaccharide complexes in red wine. 42:150-2.
_____, C. Bosso, and M. Moutounet. Isolation, purification, and characterization of an arabinogalactan from a red wine. 41:29-36.
- Brissonnet, F. and A. Maujean. Characterization of foaming proteins in a Champagne base wine. 44:297-301.
_____, and A. Maujean. Identification of some foam-active compounds in Champagne base wines. 42:97-102.
- Broadbent, F. E. See W. L. Peacock. 40:16-20.
- Brodbeck, B. V. See P. C. Andersen. 40:155-60; 42:245-51.
- Brown, W. V. See M. S. Allen. 42:109-12.
See M. J. Lacey. 42:103-8.
- Brun, S. See M. Goetghebeur. 41:295-300.
- Buglass, A. J., and S. C. Garnham. A novel method for the determination of lactic acid. Comparison of lactic acid content of English and north European wines. 42:63-6.
- Burns, G. See S. Fujinawa. 41:350-4.
- Burr, T. J. See R. L. Wample. 42:67-72.
- Bus, V. B. See A. J. Bongers. 42:76-8.
- Bussey, H. See C. Boone. 41:37-42.
- Buteau, C. See C. L. Duitschaever. 42:19-25.
- C**
- Cabezudo, M. D. See T. Herraiz. 41:313-18.
- Cacho, J., and J. E. Castells. Fractionation of phenolic compounds from grapes by size exclusion liquid chromatography with HPLC instrumentation. 42:327-35.
_____, P. Fernández, V. Ferreira, and J. E. Castells. Evolution of five anthocyanidin-3-glucosides in the skin of the Tempranillo, Moristel, and Garnacha grape varieties and influence of climatological variables. 43:244-8.
- Cahoon, G. A. See M. L. Kaps. 43:191-9.
- Calderón, A. See J. M. Zapata. 43:134-8.
- Calull, M., F. Borrull, R. M. Marcé, and F. Zamora. HPLC analysis of fatty acids in wine. 42:268-73.
See R. Marcé. 40:194-8; 41:289-94.
- Calvayrac, R. See D. Troton. 40:175-82.
- Cameron, H. R. See M. H. Walter. 42:175-9.
- Cansado, J. See E. Longo. 42:141-4.
- Carvacho, O. F. See M. C. Lagunas-Solar. 43:266-74.
- Casp, A. See M. Pérez-Cerrada. 44:292-6.
- Castells, E. See J. Cacho. 42:327-35; 43:244-8.
- Cattrall, R. W. See A. J. McKinnon. 43:166-70.
- Cavin, J. F., V. Andioc, P. X. Etiévant, and C. Divies. Ability of wine lactic acid bacteria to metabolize phenol carboxylic acids. 44:76-80.
_____, F. Z. Drici, H. Prevost, and C. Divies. Prophage curing in *Leuconostoc oenos* by mitomycin C induction. 42:163-6.
- Chambers, K. R. Benzyl alcohol as an inhibitor of the development of *Botrytis cinerea* in vitro and in packed table grapes. 41:265-8.
- Charpentier, M. See M. J. LeRoy. 41:21-8.
See D. Troton. 40:175-82.
- Chellemi, D. O., and J. J. Marois. Influence of leaf removal, fungicide applications, and fruit maturity on incidence and severity of grape powdery mildew. 43:53-7.
- Cheyrier, V., G. Masson, J. Rigaud, and M. Moutounet. Estimation of must oxidation during pressing in Champagne. 44:393-9.
_____, J. Rigaud, J. M. Souquet, J. M. Barillère, and M. Moutounet. Effect of pomace contact and hyperoxidation on the phenolic composition and quality of Grenache and Chardonnay wines. 40:36-42.
_____, J. Rigaud, J.-M. Souquet, F. Duprat, and M. Moutounet. Must browning in relation to the behavior of phenolic compounds during oxidation. 41:346-9.
_____, J. M. Souquet, and M. Moutounet. Glutathione content and glutathione to hydroxycinnamic acid ratio in *Vitis vinifera* grapes and musts. 40:320-4.
- Christensen, L. P., J. Boggero, and M. Bianchi. Comparative leaf tissue analysis of potassium deficiency and a disorder resembling potassium deficiency in Thompson Seedless grapevines. 41:77-83.
_____, L. P., W. L. Peacock, and M. L. Bianchi. Potassium fertilization of Thompson Seedless grapevines using two fertilizer sources under drip irrigation. 42:227-32.
_____, L. P., and R. J. Smith. Effects of persistent woody laterals on bud performance of Thompson Seedless fruiting canes. 40:27-30.
See D. O. Adams. 41:121-5.
See J. T. Andrews. 41:116-20.
See W. L. Peacock. 40:16-20; 42:322-6.
See J. M. Ricardo-da-Silva. 44:168-72.
- Churney, J. J. See D. F. Splittstoesser. 43:290-3.
- Ciani, M. See G. Rosini. 44:113-17.
- Cilliers, J. J. L., and V. L. Singleton. Nonenzymic autoxidative reactions of caffeic acid in wine. 41:84-6.
- Cirami, R. M. See M. G. McCarthy. 41:126-30.
- Clark, J. R. See R. G. Goldy. 40:253-8.
See J. R. Morris. 43:230-2.
- Clary, C. D., R. E. Steinhauer, J. E. Frisinger, and T. E. Pepper. Evaluation of machine- vs. hand-harvested Chardonnay. 41:176-81.
- Clayton, M. G. See G. J. Pilone. 42:153-7.
- Clingeleffer, P. R., and L. R. Krake. Responses of Cabernet franc grape-

- vines to minimal pruning and virus infection. 43:31-7.
See E. H. Rühl. 44:81-5.
- Cocito, C. See C. Delfini. 44:452-8.
- Codony-Salcedo, R. See M. C. Vidal-Carou. 42:145-9.
- Collins, J. K. See P. M. Perkins-Veazie. 43:79-82.
- Conradie, W. J. Distribution and translocation of nitrogen absorbed during early summer by two-year-old grapevines grown in sand culture. 42:180-90.
_____. Distribution and translocation of nitrogen absorbed during late spring by two-year-old grapevines grown in sand culture. 41:241-50.
_____, and D. Saayman. Effects of long-term nitrogen, phosphorus, and potassium fertilization on Chenin blanc vines. I. Nutrient demand and vine performance. 40:85-90.
_____, and D. Saayman. Effects of long-term nitrogen, phosphorus, and potassium fertilization on Chenin blanc vines. II. Leaf analyses and grape composition. 40:91-8.
- Conterno, L. See C. Delfini. 44:452-8.
- Cook, M. K. See T. K. Wolf. 41:330-41; 43:171-9.
See B. W. Zoecklein. 43:139-48.
- Coombe, B. G. Research on development and ripening of the grape berry. 43:101-10.
See N. A. Abbott. 42:167-74.
- Correa-Gorospe, I. See R. Rodriguez-Clemente. 41:16-20.
- Costa, A. See C. Delfini. 44:86-92.
- Costas, C. L. See L. A. Regueiro. 44:405-8.
- Cottingham, C. K. See T. K. Wolf. 41:330-41.
- Cox, D. J., and T. Henick-Kling. A comparison of lactic acid bacteria for energy-yielding (ATP) malolactic enzyme systems. 41:215-18.
- Creasy, G. L., and P. B. Lombard. Vine water stress and peduncle girdling effects on pre- and post-veraison grape berry growth and deformability. 44:193-7.
_____, S. F. Price, and P. B. Lombard. Evidence for xylem discontinuity in Pinot noir and Merlot grapes: Dye uptake and mineral composition during berry maturation. 44:187-92.
See E. H. Siemann. 43:49-52.
- Crisosto, C. H. See A. A. Gardea. 44:232-5.
- ### D
- Daudt, D. E., C. S. Ough, D. Stevens, and T. Herraiz. Investigations into ethyl carbamate, *n*-propyl carbamate, and urea in fortified wines. 43:318-22.
- Davenport, M. See C. S. Ough. 40:208-13.
- De Benedictis, J. A., and J. Granett. Laboratory evaluation of grape roots as hosts of California grape phylloxera biotypes. 44:285-91.
See J. Granett. 43:249-52.
- De Castro, J. J. See R. Rodriguez-Clemente. 41:16-20.
- Degré, R., D. Y. Thomas, J. Ash, K. Mailhot, A. Morin, and C. Dubord. Wine yeast strain identification. 40:309-15.
See C. Boone. 41:37-42.
- de la Teja, P. See S. Fujinawa. 41:350-4.
- De La Torre, M. C. See M. Marti. 40:221-3.
- Delfini, C., C. Cocito, S. Ravaglia, and L. Conterno. Influence of clarification and suspended grape solid materials on sterol content of free run and pressed grape musts in the presence of growing yeast cells. 44:452-8.
_____, and A. Costa. Effects of the grape must lees and insoluble materials on the alcoholic fermentation rate and production of acetic acid, pyruvic acid, and acetaldehyde. 44:86-92.
- Delgado, P. O. See M. C. Lagunas-Solar. 43:266-74.
- Delgado, T., C. Gomez-Cordoves, and B. Villaroya. Relationships between phenolic compounds of low molecular weight as indicators of the aging conditions and quality of brandies. 41:342-5.
- Delpuech, E. See B. Robillard. 44:387-92.
- De Mateo, A. See M. C. Lagunas-Solar. 43:266-74.
- de Mora, S. J., P. Lee, D. Shooter, and R. Eschenbruch. The analysis and importance of dimethylsulfoxide in wine. 44:327-32.
- De Villiers, O. T. See J. J. Hunter. 42:13-18, 237-44.
- Dickmann, D. I. See D. P. Miller. 44:333-8.
- Dicks, L. M. T. See H. J. J. Van Vurren. 44:99-112.
- Divies, C. See J. F. Cavin. 42:163-6; 44:76-80.
- Dizy, M. See E. Pueyo. 44:255-60.
- Does, A. L. See C. J. McClellan. 40:9-15.
- Domecq, B. See M. A. Botella. 41:12-15.
See L. Perez. 42:58-62.
- Donaldson, D. R., R. L. Snyder, C. Elmore, and S. Gallagher. Weed control influences vineyard minimum temperatures. 44:431-4.
- Dozen, N. M., and A. C. Noble. Sensory study of the effect of fluorescent light on a sparkling wine and its base wine. 40:265-71.
- Drici, F. Z. See J. F. Cavin. 42:163-6.
- Drysdale, G. S., and G. H. Fleet. The growth and survival of acetic acid bacteria in wines at different concentrations of oxygen. 40:99-105.
- Dubord, C. See R. Degré. 40:309-15.
- Dubourdieu, D. See V. Frezier. 43:375-80.
- Duitschaever, C. L., J. Alba, C. Buteau, and B. Allen. Riesling wines made from must concentrated by reverse osmosis. I. Experimental conditions and composition of musts and wines. 42:19-25.
- Duncan, N. W. See B. W. Zoecklein. 43:139-48.
- Duprat, F. See V. Cheynier. 41:346-9.
- Duteurtre, B. See M. J. LeRoy. 41:21-8.
See B. Robillard. 44:387-92.
See D. Troton. 40:175-82.
- ### E
- Echavarri, J. F. See A. Negueruela. 41:232-40.
- Edson, C. E., G. S. Howell, and J. A. Fiore. Influence of crop load on photosynthesis and dry matter partitioning of Seyval grapevines. I. Single leaf and whole vine response pre- and post-harvest. 44:139-47.
See G. S. Howell. 42:191-8.
- Edwards, C. G., R. B. Beelman, C. E. Bartley, and A. L. McConnell. Production of decanoic acid and other volatile compounds and the growth of yeast and malolactic bacteria during vinification. 41:48-56.
_____, and K. A. Jensen. Occurrence and characterization of lactic acid bacteria from Washington State wines: *Pediococcus* spp. 43:233-8.
_____, K. A. Jensen, S. E. Spayd, and B. J. Seymour. Isolation and characterization of native strains of *Leuconostoc oenos* from Washington State wines. 42:219-26.
See K. A. Jensen. 42:274-7.
See D. R. Webster. 44:275-84.
- Ellersieck, M. See J. T. Andrews. 41:116-20.
- Elmore, C. See D. R. Donaldson. 44:431-4.
- English, J. T., A. M. Bledsoe, J. J. Marois, and W. M. Kiewer. Influence of grapevine canopy management on evaporative potential in the fruit zone. 41:137-41.
- Eschenbruch, R. See S. J. de Mora. 44:327-32.
- Eschnauer, H. R. See B. L. Gulson. 43:180-90.
- Etiévant, P. X. See J. F. Cavin. 44:76-80.
- Evans, R. G. See S. E. Spayd. 44:378-86.
See R. L. Wampler. 44:159-67.

Ewart, A. See P. Bissell. 40:316-19.

F

Famuyiwa, O. O., and C. S. Ough. Modification of acid urease activity by fluoride ions and malic acid in wines. 42:79-80.

Fernandes, J. O. See M. A. Ferreira. 43:339-43.

Fernandez, J. E. See M. C. Lagunas-Solar. 43:266-74.

Fernández, P. See J. Cacho. 43:244-8.

Ferreira, M. A., and J. O. Fernandes. The application of an improved GC-MS procedure to investigate ethyl carbamate behavior during the production of Madeira wines. 43:339-43.

Ferreira, V. See J. Cacho. 43:244-8.

Ferreira-Monteiro, F., and L. F. Bisson. Nitrogen supplementation of grape juice. I. Effect on amino acid utilization during fermentation. 43:1-11.

_____, and L. F. Bisson. Nitrogen supplementation of grape juice. II. Effect on amino acid and urea release following fermentation. 43:11-17.

_____, and L. F. Bisson. Utilization of adenine by yeast during grape juice fermentation and investigation of the possible role of adenine as a precursor of urea. 43:18-22.

See also F. F. Monteiro

Feuillat, M. See M. J. LeRoy. 41:21-8.

Flanzy, C. See S. Bitteur. 43:41-8.

See C. Romieu. 43:129-33.

See F. Z. Sauvage. 42:209-18.

See C. Tesnière. 40:183-8.

Fleet, G. H. See G. S. Drysdale. 40:99-105.

Fleuriet, A. See T. Ramos. 44:13-16.

Flore, J. A. See C. E. Edson. 44:139-47.

See R. K. Striegler. 44:313-19.

Flores, J. H., D. A. Heatherbell, L. A. Henderson, and M. R. McDaniel. Ultrafiltration of wine: Effect of ultrafiltration on the aroma and flavor characteristics of White Riesling and Gewürztraminer wines. 42:91-6.

_____, D. A. Heatherbell, and M. R. McDaniel. Ultrafiltration of wine: Effect of ultrafiltration on White Riesling and Gewürztraminer wine composition and stability. 41:207-14.

Forcen, H. See A. Mulet. 43:221-6.

Fouse, D. C. See J. L. Smilanick. 41:131-6.

Francis, I. L., M. A. Sefton, and P. J. Williams. A study by sensory descriptive analysis of the effects of oak origin, seasoning, and heating on the aromas of oak model wine extracts. 43:23-30.

See M. A. Sefton. 44:359-70.

Frank, M. See R. N. Goodman. 44:22-6.

Frank, K. E., and D. O. Adams. Inhibition of malic enzyme from grape berries by sulfhydryl reagents and oxalic acid. 43:153-8.

See D. O. Adams. 41:121-5; 43:239-43.

Frezier, V., and D. Dubourdieu. Ecology of yeast strain *Saccharomyces cerevisiae* during spontaneous fermentation in a Bordeaux winery. 43:375-80.

Frisinger, J. E. See C. D. Clary. 41:176-81.

Fuchigami, L. H. See A. A. Gardea. 44:232-5.

Fujinawa, S., G. Burns, and P. de la Teja. Application of acid urease to reduction of urea in commercial wines. 41:350-4.

_____, S., S. Kodama, H. Todoroki, and T. Suzuki. Trace urea determination in red wine and its degradation rate by acid urease. 43:362-6.

G

Galán Serrano, M. A. See E. Martínez de la Ossa. 42:252-4.

Galindo, P. See J. C. Rivas-Gonzalo. 44:302-8.

Gallagher, S. See D. R. Donaldson. 44:431-4.

Galzy, P. See M. Goetghebeur. 41:295-300.

Gannotti, J. L. See S. A. Kupina. 42:1-5.

García-Messa, J. A. See M. D. Luque de Castro. 43:93-100.

García-Rodríguez, C. See E. Hebrero. 40:283-91.

García-Ruiz, J. M., R. Alcántara, and J. Martín. Evaluation of wine stability to potassium hydrogen tartrate precipitation. 42:336-40.

Gardea, A. A., P. B. Lombard, C. H. Crisosto, L. W. Moore, L. H. Fuchigami, and L. V. Gusta. Evaluation of Frostgard as an antifreeze, inhibitor of ice nucleators, and cryoprotectant on Pinot noir leaf tissue. 44:232-5.

Garnham, S. C. See A. J. Buglass. 42:63-6.

Gautheron. See P. Jeandet. 42:41-6.

Giudici, P., and C. Zambonelli. Biometric and genetic study on acetic acid production for breeding of wine yeast. 43:370-4.

_____, C. Zambonelli, and R. E. Kunkee. Increased production of *n*-propanol in wine by yeast strains having an impaired ability to form hydrogen sulfide. 44:17-21.

Glad, C., J. L. Regnard, Y. Querou, O. Brun, and J. F. Morot-Gaudry. Flux and chemical composition of xylem exudates from Chardonnay grapevines: Temporal evolution and effect of recut. 43:275-82.

Glories, Y. See C. W. Nagel. 42:364-6.

Goetghebeur, M., M. Nicolas, A. Blaise, S. Brun, and P. Galzy. Wine benzyl alcohol oxidase: Isolation and characterization. 41:295-300.

Goffinet, M. C., and R. C. Pearson. Anatomy of russeting induced in Concord grape berries by the fungicide Chlorothalonil. 42:281-9.

Goheen, A. C. Virus diseases and grapevine selection. 40:67-72.

Goldy, R. G., E. P. Maness, H. D. Stiles, J. R. Clark, and M. A. Wilson. Pigment quantity and quality characteristics of some native *Vitis rotundifolia* Michx. 40:253-8.

Golino, D. A. The Davis grapevine virus collection. 43:200-5.

_____. Potential interactions between rootstocks and grapevine latent viruses. 44:148-52.

Gómez-Cordovés, C. See T. Delgado. 41:342-5.

Gonzales, P. See L. Perez. 42:58-62.

Goodman, R. N., R. Grimm, and M. Frank. The influence of grape rootstocks on the crown gall infection process and on tumor development. 44:22-6.

See X.-A. Pu. 44:241-8, 249-54.

See B. I. Reisch. 44:441-4.

Goodwin, C. O., and J. R. Morris. Effect of ultrafiltration on wine quality and browning. 42:347-53.

Grandal Delgado, M. M. See J. G. Benitez. 44:400-4.

Granett, J., J. De Benedictis, and J. Marston. Host suitability of *Vitis californica* Benth. to grape phylloxera, *Daktulosphaira vitifoliae* (Fitch). 43:249-52.

See J. De Benedictis. 44:285-91.

Grimm, R. See R. N. Goodman. 44:22-6.

Guasch, J. See R. Marcé. 40:194-8.

Gubler, W. D., L. J. Bettiga, and D. Heil. Comparisons of hand and machine leaf removal for the control of Botrytis bunch rot. 42:233-6.

See C. S. Thomas. 44:205-10, 211-16.

Guijo, S. See J. C. Mauricio. 42:301-8.

Guillamon, J. M. See J. J. Mateo. 43:206-9.

Gulson, B. L., T. H. Lee, K. J. Mizon, M. J. Korsch, and H. R. Eschnauer. The application of lead isotope ratios to determine the contribution of the tin-lead capsule to the lead content of wine. 43:180-90.

Gusta, L. V. See A. A. Gardea. 44:232-5.

Gutierrez, Y. See J. C. Rivas-Gonzalo. 43:210-14; 44:302-8.

Gutiérrez-Granda, M.-J., and J. C. Morrison. Solute distribution and malic enzyme activity in developing grape berries. 43:323-8.

H

Hallet, J.-N. See F. Vezinhet 43:83-6.

Hamman, R. A. Jr., A. R. Renquist, and H. G. Hughes. Pruning effects on cold hardiness and water content during deacclimation of Merlot bud and cane tissues. 41:251-60.

Hara, S. See J. C. Ogonna. 40:292-9.

Harris, C. M. See J. L. Smilanick. 41:131-6.

Harris, R. L. N. See M. S. Allen. 42:109-12.
See M. J. Lacey. 42:103-8.

Hartsell, P. L. See J. L. Smilanick. 41:131-6.

Harvey, J. M. See J. L. Smilanick. 41:131-6.

Heatherbell, D. A. See J. H. Flores. 41:207-14; 42:91-6.

Hebrero, E., C. Garcia-Rodriguez, C. Santos-Buelga, and J. C. Rivas-Gonzalo. Analysis of anthocyanins by high performance liquid chromatography-diode array spectroscopy in a hybrid variety (*Vitis vinifera* × *Vitis berlandieri* 41B). 40:283-91.

See J. C. Rivas-Gonzalo. 43:210-14; 44:302-8.

Heil, D. See W. D. Gubler. 42:233-6.

Hellman, W. E., G. L. Yokum, and R. J. Robel. Preliminary evaluation of dimethyl anthranilate as a bird repellent on grapes. 40:140-2.

Henderson, L. A. See J. H. Flores. 42:91-6.

Henick-Kling, T., and G. S. Stoewsand. Lead in wine. 44:459-63.

See I.-M. Tegmo-Larsson. 41:189-92, 269-72.

See D. J. Cox. 41:215-18.

Henschke, P. A., and C. S. Ough. Urea accumulation in fermenting grape juice. 42:317-21.

See J. E. Petering. 42:6-12.

Hensen, D. J. See J. L. Smilanick. 41:131-6.

Herraiz, M. See T. Herraiz. 41:313-18.

Herraiz, T., and C. S. Ough. Formation of ethyl esters of amino acids by yeasts during the alcoholic fermentation of grape juice. 44:41-8.

_____, G. Reglero, M. Herraiz, P. J. Martin-Alvarez, and M. D. Cabezudo. The influence of yeast and type of culture on the volatile composition of wines fermented without sulfur dioxide. 41:313-18.

See C. E. Daudt. 43:318-22.

Herrick, I. W. See C. W. Nagel. 40:81-5.

Heymann, H. See J. T. Andrews. 41:116-20.

Hinsch, R. T. See A. J. Bongers. 42:76-8.

Hirschfeld, D. J. See W. L. Peacock. 42:322-6.

Hopcroft, D. H. See W. J. Kelly. 40:277-82.

Hooper, R. L. See P. D. Scudamore-Smith. 41:57-67.

Howell, G. S., D. P. Miller, C. E. Edson, and R. K. Striegler. Influence of training system and pruning severity on yield, vine size, and fruit composition of Vignoles grapevines. 42:191-8.

See C. E. Edson. 44:139-47.

See M. McLean. 43:87-9.

See D. P. Miller. 40:170-4; 43:333-8; 44:435-40.

See R. K. Striegler. 44:313-19.

Hsu, L. See T. A. Boyle. 41:43-7.

Huang, Z., and C. S. Ough. Amino acid profiles of commercial grape juices and wines. 42:261-7.

_____, and C. S. Ough. Effect of vineyard locations, varieties, and rootstocks on the juice amino acid composition of several cultivars. 40:135-9.

_____, and C. S. Ough. Identification of N-carbamyl amino acids

in wines and in yeast cells. 44:49-55.

See C. S. Ough. 41:68-73; 42:26-40.

Huerta, T. See J. J. Mateo. 43:206-9.

Hughes, H. G. See R. A. Hamman, Jr. 41:251-60.

Hunter, J. J., O. T. De Villiers, and J. E. Watts. The effect of partial defoliation on quality characteristics of *Vitis vinifera* L. cv. Cabernet Sauvignon grapes. II. Skin color, skin sugar, and wine quality. 42:13-18.

_____, and D. J. Le Roux. The effect of partial defoliation on development and distribution of roots of *Vitis vinifera* L. cv. Cabernet Sauvignon grafted onto rootstock 99 Richter. 43:71-8.

_____, J. H. Visser, and O. T. De Villiers. Preparation of grapes and extraction of sugars and organic acids for determination by high performance liquid chromatography. 42:237-44.

I

Ingels, C. Sustainable agriculture and grape production. 43:296-8.

Ingledew, W. M. See E. Munoz. 40:61-4.

Iodi, M. See J. C. Morrison. 41:301-5.

J

Jackson, D. I. Environmental and hormonal effects on development of early bunch stem necrosis. 42:290-4.

_____, and P. B. Lombard. Environmental and management practices affecting grape composition and wine quality - A review. 44:409-30.

Jacobs, C. J., and H. J. J. van Vuuren. Effects of different killer yeasts on wine fermentations. 42:295-300.

See H. J. J. van Vuuren. 43:119-28.

James, D. See P. L. Monette. 41:201-3.

Janse, J. H. See N. P. Jolly. 44:217-26.

Jaworski, A. See C. Y. Lee. 40:43-6; 41:87-9.

Jeandet, P., R. Bessis, and B. Gautheron. The production of resveratrol (3,5,4'-trihydroxystilbene) by grape berries in different developmental stages. 42:41-6.

Jensen, K. A., and C. G. Edwards. Modification of the API rapid CH system for characterization of *Leuconostoc oenos*. 42:274-7.

See C. G. Edwards. 42:219-26; 43:233-8.

Jimenez, M. See J. J. Mateo. 43:206-9.

Johnson, M. G. See K. J. Moore. 40:214-18.

Johnson, R. P. See C. A. Sims. 40:272-6; 41:182-5, 273-6.

Jolly, N. P., B. J. H. Janse, T. J. Van Rooyen, and J. H. Louw. Hybridization and typing of yeasts used in sparkling wine fermentations. 44:217-26.

Joseph, K. See C. S. Ough. 40:208-13.

Joshi, V. K., V. P. Bhutani, and R. C. Sharma. The effect of dilution and addition of nitrogen source on chemical, mineral, and sensory qualities of wild apricot wine. 41:229-31.

Judge, J. M. See B. W. Zoecklein. 43:139-48.

K

Kantz, K., and V. L. Singleton. Isolation and determination of polymeric polyphenols in wines using Sephadex LH-20. 42:309-16.

_____, and V. L. Singleton. Isolation and determination of polymeric polyphenols using Sephadex LH-20 and analysis of grape tissue extracts. 41:223-8.

Kaps, M. L., and G. A. Cahoon. Growth and fruiting of container-grown Seyval blanc grapevines modified by changes in crop level, leaf number and position, and light exposure. 43:191-9.

Kawakami, A. K. See S. E. Spayd. 44:378-86.

Kelly, W. J., R. V. Asmundson, and D. H. Hopcroft. Growth of *Leuconostoc oenos* under anaerobic conditions. 40:277-82.

- Kingston, C. M., and C. W. Van Epenhuijsen. Influence of leaf area on fruit development and quality of Italia glasshouse table grapes. 40:130-4.
- Kliwer, W. M., P. Bowen, and M. Benz. Influence of shoot orientation on growth and yield development in Cabernet Sauvignon. 40:259-64.
See J. T. English 41:137-41.
See J. Perez. 41:168-75.
See A. Zelleke. 40:47-51.
- Kodama, S. See S. Fujinawa. 43:362-6.
- Korsch, M. J. See B. L. Gulson. 43:180-90.
- Krake, L. R. See P. R. Clingeleffer. 43:31-7.
- Kunkee, R. E. See P. Giudici. 44:17-21.
- Kupina, S. A., C. A. Pohl, and J. L. Gannotti. Determination of tartaric, malic, and citric acids in grape juice and wine using gradient ion chromatography. 42:1-5.
- ### L
- Lacey, M. J., M. S. Allen, R. L. N. Harris, and W. V. Brown. Methoxypyrazines in Sauvignon blanc grapes and wines. 42:103-8.
See M. S. Allen. 42:109-12.
- Lagace, L. S., and L. F. Bisson. Survey of yeast acid proteases for effectiveness of wine haze reduction. 41:147-55.
- Lagunas-Solar, M. C., A. De Mateo, J. E. Fernandez, J. I. Oyarzun, O. F. Carvacho, R. A. Arancibia, and P. O. Delgado. Radiotracer studies on the uptake and retention (conversion) of ^{35}S -sulfur dioxide in table grapes. 43:266-74.
- Landridge, P. See J. E. Petering. 42:6-12.
- Lascano, R. J., R. L. Baumhardt, and W. N. Lipe. Measurement of water flow in young grapevines using the stem heat balance method. 43:159-65.
- Lazarova, G. See B. Tchobanov. 44:93-8.
- Léauté, R. Distillation in alambic. 41:90-103.
- Lee, C. Y., and A. W. Jaworski. Identification of some phenolics in white grapes. 41:87-9.
_____, and A. W. Jaworski. Major phenolic compounds in ripening white grapes. 40:43-6.
See J. Oszmianski. 41:204-6.
- Lee, P. See S. J. de Mora. 44:327-32.
- Lee, T. H. See B. L. Gulson. 43:180-90.
- Le Roux, D. J. See J. J. Hunter. 43:71-8.
- LeRoy, M. J., M. Charpentier, B. Duteurtre, M. Feuillat, and C. Charpentier. Yeast autolysis during Champagne aging. 41:21-8.
- Libbey, L. M. See R. Miranda-López. 43:90-2.
- Lima, J. L. F. C., and A. O. S. S. Rangel. Determination of metallic cations in wines by flow injection analysis. 41:284-8.
_____, and A. O. S. S. Rangel. Enzymatic determination of L(-)-malic and L(+)-lactic acids in wine by flow injection analysis. 43:58-62.
- Lipe, W. N., L. Baumhardt, C. W. Wendt, and D. J. Rayburn. Differential thermal analysis of deacclimating Chardonnay and Cabernet Sauvignon grape buds as affected by evaporative cooling. 43:355-61.
See R. J. Lascano. 43:159-65.
- Litchev, V. Influence of oxidation processes on the development of the taste and flavor of wine distillates. 40:31-5.
- Liyanage, C., D. A. Luvisi, and D. O. Adams. The glutathione content of grape berries is reduced by fumigation with methyl bromide or methyl iodide. 44:8-12.
See D. O. Adams. 42:137-40; 44:333-8.
- Lloyd, J. See P. M. Perkins-Veazie. 43:79-82.
- Loescher, W. H. See J. E. Muniz. 42:341-6.
- Lombard, P. B. See G. L. Creasy. 44:187-92, 193-7.
See A. A. Gardea. 44:232-5.
See D. I. Jackson. 44:409-30.
- Longo, E., J. Cansado, D. Agrelo, and T. G. Villa. Effect of climatic conditions on yeast diversity in grape musts from northwest Spain. 42:141-4.
- Lopez de Castro, M. P. See A. Negueruela. 41:232-40.
- López Rubio, J. E. See L. A. Regueiro. 44:405-8.
- Los Arcos, M. L. See A. Negueruela. 41:232-40.
- Loureiro, V. See M. Malfioto-Ferreira. 41:219-22.
- Louw, J. H. See N. P. Jolly. 44:217-26.
- Luque de Castro, M. D., and J. A. García-Messa. Potential of flow injection methodology for beverage analysis. 43:93-100.
- Luvisi, D. A. See C. Liyanage. 44:8-12.
- ### M
- Macaulay, L. E., and J. R. Morris. Influence of cluster exposure and winemaking processes on monoterpenes and wine olfactory evaluation of Golden Muscat. 44:198-204.
- Machiex, J. J. See T. Ramos. 44:13-16.
- Mackenzie, D. H. See M. W. Moncur. 40:21-6.
- Magarey, P. A. See K. Ophel. 41:325-9.
- Magyar, I., and I. Panyik. Biological deacidification of wine with *Schizosaccharomyces pombe* entrapped in Ca-alginate gel. 40:233-40.
- Mailhot, K. See R. Degré. 40:309-15.
- Main, G. L., and J. R. Morris. Color of Riesling and Vidal wines as affected by bentonite, Cufex®, and sulfur dioxide juice treatments. 42:354-7.
See J. R. Morris. 43:230-2.
- Malfioto-Ferreira, M., J. P. Miller-Guerra, and V. Loureiro. Proton extrusion as indicator of the adaptive state of yeast starters for the continuous production of sparkling wines. 41:219-22.
- Malvy, J. See B. Robillard. 44:387-92.
- Maness, E. P. See R. G. Goldy. 40:253-8.
- Maquieira, A. See M. Pérez-Cerrada. 44:292-6.
See M. Peris-Tortajada. 44:118-20.
- Marcé, R. M., M. Calull, F. Borrull, and F. X. Rius. Determination of the major carboxyl acids in wine by an optimized HPLC method with linear gradient elution. 41:289-94.
See M. Calull. 42:268-73.
_____, M. Calull, J. Guasch, and F. Borrull. Determination of free amino acids in wine by HPLC using precolumn derivatization with phenylisothiocyanate. 40:194-8.
- Mariné-Font, A. See M. C. Vidal-Carou. 41:160-7.
- Mariné-Font, A. See M. C. Vidal-Carou. 42:145-9.
- Marks, A. C., and J. R. Morris. Ascorbic acid effects on the post-disgorgement oxidative stability of sparkling wine. 44:227-31.
- Marois, J. J., A. M. Bledsoe, R. W. Ricker, and R. M. Bostock. Sampling for *Botrytis cinerea* in harvested grape berries. 44:261-5.
See D. O. Chellemi. 43:53-7.
See J. T. English. 41:137-41.
- Marston, J. See J. Granett. 43:249-52.
- Martens, M.-H. See B. I. Reisch. 44:441-4.
- Marti, M., and M. C. De La Torre. Determination of molecular weight of polysaccharides in musts and wines by HPLC. 40:221-3.
- Martín, J. See J. M. García-Ruiz. 42:336-40.
- Martin, J. D. See J. G. Benitez. 44:400-4.
- Martin-Alvarez, P. J. See T. Herraiz. 41:313-18.
- Martínez de la Ossa, E., and M. A. Galán Serrano. Salt effect on the composition of alcohols obtained from wine by extractive distillation. 42:252-4.
- Masson, G. See V. Cheynier. 44:393-9.

- Mateo, J. J., J. M. Guillaumon, M. Jimenez, T. Huerta, and A. Pastor. Comparison of volatiles produced by four *Saccharomyces cerevisiae* strains isolated from Monastrell musts. 43:206-9.
- Matthews, M. A., and M. M. Anderson. Reproductive development in grape (*Vitis vinifera* L.): Responses to seasonal water deficits. 40:52-60.
- Maujean, A. See F. Brissonnet. 42:97-102; 44:297-301.
- Mauricio, J. C., S. Guijo, and J. M. Ortega. Relationship between phospholipid and sterol content in *Saccharomyces cerevisiae* and *Torulaspora delbrueckii* and their fermentation activity in grape musts. 42:301-8.
See J. M. Salmon. 44:56-64.
- McCarthy, M. G. Clonal and pruning effects on Muscat à petite grains blanc yield and terpene concentration. 43:149-52.
_____, and R. M. Ciriari. The effect of rootstocks on the performance of Chardonnay from a nematode-infested Barossa Valley vineyard. 41:126-30.
- McClellan, C. J., A. L. Does, and L. F. Bisson. Characterization of hexose uptake in wine strains by *Saccharomyces cerevisiae* and *Saccharomyces bayanus*. 40:9-15.
- McConnell, A. L. See C. G. Edwards. 41:48-56.
- McDaniel, M. R. See R. M. Avedovech. 43:253-60.
See J. H. Flores. 41:207-14; 42:91-6.
See R. Miranda-López. 43:90-2.
See J. D. Wightman. 43:283-9.
- McIntyre, G. N. See M. W. Moncur. 40:21-6.
- McKinnon, A. J., R. W. Catrall, and G. R. Scollary. Aluminum in wine - its measurement and identification of major sources. 43:166-70.
- McLaran, E. D. See P. D. Scudamore-Smith. 41:57-67.
- McLean, M., G. S. Howell, and A. J. M. Smucker. A minirhizotron system for *in situ* root observation studies of Seyval grapevines. 43:87-9.
- Meredith, C. P. See J. E. Bowers. 44:266-74.
- Michaelis, C. S. See D. P. Miller. 43:333-8.
- Micheals, N. J. See J. D. Wightman. 43:283-9.
- Miele, A., J. Bouard, and A. Bertrand. Fatty acids from lipid fractions of leaves and different tissues of Cabernet Sauvignon grapes. 44:180-6.
- Miller, D. P., and G. S. Howell. The effect of various carbonic maceration treatments on must and wine composition of Marechal Foch. 40:170-4.
_____, G. S. Howell, C. S. Michaelis and D. I. Dickmann. The content of phenolic acid and aldehyde flavor components of white oak as affected by site and species. 43:333-8.
_____, G. S. Howell, and R. K. Striegler. Reproductive and vegetative response of mature grapevines subjected to differential cropping stresses. 44:435-40.
See G. S. Howell. 42:191-8.
- Miller, R. See C. S. Thomas. 44:205-10.
- Miller-Guerra, J. P. See M. Maffei-Ferreira. 41:219-22.
- Miranda-López, R., L. M. Libbey, B. T. Watson, and M. R. McDaniel. Identification of additional odor-active compounds in Pinot noir wines. 43:90-2.
- Mitchev, G. See B. Tchorbanov. 44:93-8.
- Mizon, K. J. See B. L. Gulson. 43:180-90.
- Moncur, M. W., K. Rattigan, D. H. Mackenzie, and G. N. McIntyre. Base temperature for budbreak and leaf appearance of grapevines. 40:21-6.
- Monette, P. L., and D. James. The use of *Nicotiana benthamiana* as an herbaceous receptor host for closteroviruses from leafroll-affected vines. 41:201-3.
- Monteiro, F. F., and L. F. Bisson. Amino acid utilization and urea formation during vinification fermentations. 42:199-208.
_____, and L. F. Bisson. Biological assay of nitrogen content of grape juice and prediction of sluggish fermentations. 42:47-57.
_____, E. K. Trousdale, and L. F. Bisson. Ethyl carbamate formation in wine: Use of radioactively labeled precursors to demonstrate the involvement of urea. 40:1-8.
See also F. Ferreira Monteiro.
- Moore, J. N. See J. R. Morris. 43:230-2.
- Moore, K. J., and M. G. Johnson. Preservation of wine must yeasts by drying on calcium alginate swabs. 40:214-18.
- Moore, L. W. See A. A. Gardea. 44:232-5.
- Mora, J., J. I. Barbas, and A. Mulet. Growth of yeast species during the fermentation of musts inoculated with *Kluyveromyces thermotolerans* and *Saccharomyces cerevisiae*. 41:156-9.
_____, and A. Mulet. Effects of some treatments of grape juice on the population and growth of yeast species during fermentation. 42:133-6.
_____, and C. Rossello. The growth and survival of *Pichia membranaefaciens* during fermentation of grape juice. 43:329-32.
- Morin, A. See R. Degré. 40:309-15.
- Morot-Gaudry, J. F. See C. Glad. 43:275-82.
- Morris, J. R., O. L. Oswald, G. L. Main, J. N. Moore, and J. R. Clark. Storage of new seedless grape cultivar with sulfur dioxide generators. 43:230-2.
See C. O. Goodwin. 42:347-53.
See L. E. Macaulay. 44:198-204.
See G. L. Main. 42:354-7.
See A. C. Marks. 44:227-31.
See V. Panagiotakopoulou. 42:255-60.
See A. Siler. 44:320-6.
- Morrison, J. C., and M. Iodi. The influence of waterberry on the development and composition of Thompson Seedless grapes. 41:301-5.
_____, and A. C. Noble. The effects of leaf and cluster shading on the composition of Cabernet Sauvignon grapes and on fruit and wine sensory properties. 41:193-200.
See M.-J. Gutiérrez-Granda. 43:323-8.
See J. K. Rosenquist. 40:241-4.
See M. W. Silacci. 41:111-15.
- Mortensen, J. A. See C. A. Sims. 42:128-32.
- Motomura, Y. ¹⁴C-Assimilate partitioning in grapevine shoots: Effects of shoot pinching, girdling of shoot, and leaf-halving on assimilates partitioning from leaves into clusters. 44:1-7.
_____, Distribution of ¹⁴C-assimilates from individual leaves into clusters and grape shoots. 41:306-12.
- Mulet, A. See J. Mora. 41:156-9.
- Moutounet, M. See J.-M. Brillouet. 41:29-36; 42:150-2.
Moutounet, M. See V. Cheynier. 40:36-42; 41:346-9; 44:393-9.
- Mulet, A., A. Berna, and M. Forcén. Differentiation and grouping characteristics of varietal grape musts and wines from Majorcan origin. 43:221-6.
See J. Mora. 42:133-6.
- Muniz, J. E., R. L. Wample, and W. H. Loescher. Cultivar differences in response to low temperatures in *Vitis vinifera* callus *in vitro*. 42:341-6.
- Munoz, E., and W. M. Ingledew. An additional explanation for the promotion of more rapid, complete fermentation by yeast hulls. 40:61-4.
- Mañó, R. See J. M. Zapata. 43:134-8.
- Murphy, J. M., S. E. Spayd, and J. R. Powers. Effect of grape maturation on soluble protein characteristics of Gewürztraminer and White Riesling juice and wine. 40:199-207.
_____, S. E. Spayd, and J. R. Powers. Estimation of soluble protein concentration of white wines using Coomassie brilliant blue G-250. 40:189-93.

N

- Nagel, C. W., and Y. Glories. Use of a modified dimethylaminocinnamaldehyde reagent for analysis of flavanols. 42:364-6.
- _____, and I. W. Herrick. The effect of malate or lactate content on the pH-TA relationship of potassium bitartrate saturated alcohol-water solutions. 40:81-5.
- _____, and K. M. Weller. Colorimetric determination of urea in wine. 40:143-4.
- Naitoh, A. See K. Yokotsuka. 44:371-7.
- Nakamura, K. See J. C. Ogonna. 40:292-9.
- Negueruela, A. I., J. F. Echavarri, M. L. Los Arcos, and M. P. Lopez de Castro. Study of color of quaternary mixtures of wines by means of the Sheffé design. 41:232-40.
- Nicholas, P. R. See K. Ophel. 41:325-9.
- Nicolas, M. See M. Goetghebuer. 41:295-300.
- Noble, A. C. See N. M. Dozen. 40:265-71.
See J. C. Morrison. 41:193-200.
- Nottingham, S. M. See D. J. Williams. 43:227-9.

O

- Ogonna, J. C., Y. Amano, K. Nakamura, K. Yokotsuka, Y. Simazu, M. Watanabe, and S. Hara. A multistage bioreactor with replaceable bioplates for continuous wine fermentation. 40:292-8.
- Ophel, K., P. R. Nicholas, P. A. Magarey, and A. W. Bass. Hot water treatment of dormant grape cuttings reduces crown gall incidence in a field nursery. 41:325-9.
- Ortega, J. M. See J. C. Mauricio. 42:301-8.
- Oswald, O. L. See J. R. Morris. 43:230-2.
- Oszmianski, J., and C. Y. Lee. Isolation and HPLC determination of phenolic compounds in red grapes. 41:204-6.
- Otaki, A. See K. Yokotsuka. 44:371-7.
- Ough, C. S. Lead in wines -- A review of recent reports. 44:464-7.
- _____, M. Davenport, and K. Joseph. Effects of certain vitamins on growth and fermentation rate of several commercial active dry wine yeasts. 40:208-13.
- _____, Z. Huang, D. An, and D. Stevens. Amino acid uptake by four commercial yeasts at two different temperatures of growth and fermentation: Effects on urea excretion and reabsorption. 42:26-40.
- _____, D. Stevens, and J. Almy. Preliminary comments on effects of grape vineyard nitrogen fertilization on the subsequent ethyl carbamate formation in wines. 40:219-20.
- _____, D. Stevens, T. Sendovski, A. Huang, and D. An. Factors contributing to urea formation in commercially fermented wines. 41:68-73.
See D. An. 44:35-40.
See C. E. Daudt. 43:318-22.
See O. O. Famuyiwa. 42:79-80.
See P. A. Henschke. 42:317-21.
See T. Herraiz. 44:41-8.
See Z. Huang. 40:135-9; 42:261-7; 44:49-55.
See G. Trioli. 40:245-52.
D. F. Stevens. 44:309-12.
- Oyarzun, J. I. See M. C. Lagunas-Solar. 43:266-74.

P Q

- Panagiotakopoulou, V., and J. R. Morris. Chemical additives to reduce browning in white wines. 42:255-60.
- Panyik, I. See I. Magyar. 40:233-40.
- Pastor, A. See J. J. Mateo. 43:206-9.

- Peacock, W. L., L. P. Christensen, and F. E. Broadbent. Uptake, storage, and utilization of soil-applied nitrogen by Thompson Seedless as affected by time of application. 40:16-20.
- _____, L. P. Christensen, and D. J. Hirschfeld. Influence of timing of nitrogen fertilizer application on grapevines in the San Joaquin Valley. 42:322-6.
See L. P. Christensen. 42:227-32.
- Pearson, R. C. See M. C. Goffinet. 42:281-9.
- Peffer, T. E. See C. D. Clary. 41:176-81.
- Perez, J., and W. M. Kiewer. Effect of shading on bud necrosis and bud fruitfulness of Thompson Seedless grapevines. 41:168-75.
- Perez, L., M. J. Valcarcel, P. Gonzales, and B. Domecq. Influence of *Botrytis* infection of the grapes on the biological aging process of fino sherry. 42:58-62.
- Pérez-Cerrada, M., A. Casp, and A. Maquieira. Chromatographic determination of the anion content in Spanish rectified concentrated musts. 44:292-6.
- Perez-Rodriguez, L. See M. A. Botella. 41:12-15.
- Peris-Tortajada, M., A. Maquieira, and R. Puchades. Automated determination of total acidity in wines by flow injection analysis. 44:118-20.
- Perkins-Veazie, P. M., J. K. Collins, J. Lloyd, and R. K. Striegler. Influence of package on post-harvest quality of Oklahoma and Arkansas table grapes. 43:79-82.
- Petering, J. E., P. A. Henschke, and P. Landridge. The *Escherichia coli* β -glucuronidase gene as a marker for *Saccharomyces* yeast strain identification. 42:6-12.
- Peterson, J. C. See D. R. Webster. 44:275-84.
- Petroff, M. See D. J. Williams. 43:227-9.
- Pfeiffer, P., and F. Radler. Determination of ethanolamine in wine by HPLC after derivatization with 9-fluorenylmethoxycarbonylchloride. 43:315-17.
- Pilone, G. J., M. G. Clayton, and R. J. Van Duivenboden. Characterization of wine lactic acid bacteria: Single broth culture for tests of heterofermentation, mannitol from fructose, and ammonia from arginine. 42:153-7.
- Pohl, C. A. See S. A. Kupina. 42:1-5.
- Polanco, A. M. See J. C. Rivas-Gonzalo. 44:302-8.
- Polo, M. C. See E. Pueyo. 44:255-60.
- Popov, D. See B. Tchobanov. 44:93-8.
- Poullard, A. See F. Vezinhet. 43:83-6.
See J. M. Murphey. 40:189-93, 199-207.
- Prevost, H. See J. F. Cavin. 42:163-6.
- Price, S. F. See G. L. Creasy. 44:187-92.
- Pu, X.-A., and R. N. Goodman. Effects of fumigation and biological control on infection of indexed crown gall-free grape plants. 44:241-8.
- _____, and R. N. Goodman. Tumor formation by *Agrobacterium tumefaciens* is suppressed by *Agrobacterium radiobacter* HLB-2 on grape plants. 44:249-54.
- Puchades, R. See M. Peris-Tortajada. 44:118-20.
- Pueyo, E., M. D. Dizey, and M. C. Polo. Varietal differentiation of must and wines by means of protein fraction. 44:255-60.
- Querou, Y. See C. Glad. 43:275-82.

R

- Radler, F. Possible use of Nisin in winemaking. I. Action of Nisin against lactic acid bacteria and wine yeasts in solid and liquid media. 41:1-6.
- _____. Possible use of Nisin in winemaking. II. Experiment to control lactic acid bacteria in the production of wine. 41:7-11.
- Ramos, T., A. Fleuriot, M. Rascalou, and J. J. Machiex. The effect of anaerobic metabolism of grape berry skins on phenolic compounds. 44:13-16.

- Rangel, A. O. S. S. See J. L. F. C. Lima. 41:284-8; 43:58-62.
- Rascalou, M. See T. Ramos. 44:13-16.
- Rattigan, K. See M. W. Moncur. 40:21-6.
- Ravaglia, S. See C. Delfini. 44:452-8.
- Rayburn, D. J. See W. N. Lipe. 43:355-61.
- Reglero, G. See T. Herraiz. 41:313-18.
- Regnard, J. L. See C. Glad. 43:275-82.
- Regueiro, L. A., C. L. Costas, and J. E. López Rubio. Influence of viticultural and enological practices on the development of yeast populations during winemaking. 44:405-8.
- Reisch, B. I., R. N. Goodman, M.-H. Martens, and N. F. Weeden. The relationship between Norton and Cynthiana, red wine cultivars derived from *Vitis aestivalis*. 44:441-4.
- Renquist, A. R. See R. A. Hamman, Jr. 41:251-60.
- Reynolds, A. G., and D. A. Wardle. Effects of timing and severity of summer hedging on growth, yield, fruit composition, and canopy characteristics of de Chaunac. I. Canopy characteristics and growth parameters. 40:109-20.
- _____, and D. A. Wardle. Impact of various canopy manipulation techniques on growth, yield, fruit composition, and wine quality of Gewürztraminer. 40:121-9.
- _____, and D. A. Wardle. Influence of fruit microclimate on monoterpene levels of Gewürztraminer. 40:149-54.
- _____, and D. A. Wardle. Effects of timing and severity of summer hedging on growth, yield, fruit composition, and canopy characteristics of de Chaunac. II. Yield and fruit composition. 40:299-308.
- _____, and D. A. Wardle. Yield component path analysis of Okanagan Riesling vines conventionally pruned or subjected to simulated mechanical pruning. 44:173-9.
- Ricardo-da-Silva, J. M., V. Cheynier, A. Samsom, and M. Bourzeix. Effect of pomace contact, carbonic maceration, and hyperoxidation on the procyanidin composition of Grenache blanc wines. 44:168-72.
- Ricker, R. W. See J. J. Marois. 44:261-5.
- Rigaud, J. See V. Cheynier. 40:36-42; 41:346-9; 44:393-9.
- Rius, F. X. See R. M. Marcé. 41:289-94.
- Rivas-Gonzalo, J. C., Y. Gutierrez, E. Hebrero, and C. Santos-Buelga. Comparison of methods for the determination of anthocyanins in red wines. 43:210-14.
- _____, J. C., Y. Gutierrez, A. M. Polanco, E. Hebrero, J. L. Vicente, P. Galindo, and C. Santos-Buelga. Biplot analysis applied to enological parameters in the geographical classification of young red wines. 44:302-8.
- See E. Hebrero. 40:283-91.
- Robel, R. J. See W. E. Hellman. 40:140-2.
- Robillard, B., E. Delpuech, L. Viaux, J. Malvy, M. Vignes-Adler, and B. Duteurtre. Improvements of methods for sparkling base wine foam measurements and effect of wine filtration on foam behavior. 44:387-92.
- See D. Troton. 40:175-82.
- Robin, J. P., C. G. Romieu, and F. X. Sauvage. Anaerobic metabolism of organic and amino acids in grape. I. A device for measuring the decarboxylating and ethanol-releasing kinetics from a single ^{14}C -labeled berry. 40:161-9.
- See C. Romieu. 43:129-33.
- See F. Z. Sauvage. 42:209-18.
- Rodriguez, S. B. See I.-M. Tegmo-Larsson. 40:106-8.
- Rodriguez-Clemente R., I. Correa-Gorospa, and J. J. De Castro. A new method for the stabilization of wines with respect to the potassium bitartrate precipitation. 41:16-20.
- Romieu, C., C. Tesnière, L. Than-Ham, C. Flanzy, and J.-P. Robin. An examination of the importance of anaerobiosis and ethanol in causing injury to grape mitochondria. 43:129-33.
- See J. P. Robin. 40:161-9.
- See F. Z. Sauvage. 42:209-18.
- See C. M. Tesnière. 44:445-51.
- Ros Barceló, A. See J. M. Zapata. 43:134-8.
- Rosenquist, J. K., and J. C. Morrison. Some factors affecting cuticle and wax accumulation on grape berries. 40:241-4.
- Rosini, G., and M. Ciani. Influence of sugar type and level on malate metabolism of immobilized *Schizosaccharomyces pombe* cells. 44:113-17.
- Rossello, C. See J. Mora. 43:329-32.
- Rowhani, A. Use of F(ab')_2 antibody fragment in ELISA for detection of grapevine viruses. 43:38-40.
- Rühl, E. H., and P. R. Clingelheffer. Effect of minimal pruning and virus inoculation on the carbohydrate and nitrogen accumulation in Cabernet franc vines. 44:81-5.

S

- Saayman, D. See W. J. Conradie. 40:85-90, 91-8.
- Sablajrolles, J.-M., and P. Barre. Kinetics of alcoholic fermentation under anisothermal enological conditions. I. Influence of temperature evolution on the instantaneous rate of fermentation. 44:127-33.
- _____, and P. Barre. Kinetics of alcoholic fermentation under anisothermal enological conditions. II. Prediction from the kinetics under isothermal conditions. 44:134-8.
- See M. Bely. 41:319-24.
- Salmon, J. M., O. Vincent, J. C. Mauricio, M. Bely, and P. Barre. Sugar transport inhibition and apparent loss of activity in *Saccharomyces cerevisiae* as a major limiting factor of enological fermentations. 44:56-64.
- Samsom, A. See J. M. Ricardo-da-Silva. 44:168-72.
- Sanchez, C. See C. Boone. 41:37-42.
- Sangtippawan, W. See P. Bissell. 40:316-19, 283-91.
- Santos-Buelga, C. See J. C. Rivas-Gonzalo. 43:210-14; 44:302-8.
- Sarris, J. See S. Bitteur. 43:41-8.
- Sauvage, F. X., C. G. Romieu, C. Flanzy, and J. P. Robin. Aminotransferases in grapes. Isolation and characterization of aspartate aminotransferase. 42:209-18.
- See J. P. Robin. 40:161-9.
- Sciancalepore, V. Extraction of protein from wine lees. 40:65-6.
- Scollary, G. R. See A. J. McKinnon. 43:166-70.
- Scudamore-Smith, P. D., R. L. Hooper, and E. D. McLaran. Color and phenolic changes of Cabernet Sauvignon wine made by simultaneous yeast/bacterial fermentation and extended pomace contact. 41:57-67.
- See D. J. Williams. 43:227-9.
- Sdicu, A.-M. See C. Boone. 41:37-42.
- Sefton, M. A., I. L. Francis, and P. J. Williams. The volatile composition of Chardonnay juices: A study by flavor precursor analysis. 44:359-70.
- See I. L. Francis. 43:23-30.
- See P. Winterhalter. 41:277-83.
- Sendovski, T. See C. S. Ough. 41:68-73.
- Seymour, B. J. See C. G. Edwards. 42:219-26.
- D. R. Webster. 44:275-84.
- Sharma, R. C. See V. K. Joshi. 41:229-31.
- Shimizu, K. See Nami Yamamoto. 42:358-63.
- Shooter, D. See S. J. de Mora. 44:327-32.
- Siemann, E. H., and L. L. Creasy. Concentration of the phytoalexin resveratrol in wine. 43:49-52.
- Silacci, M. W., and J. C. Morrison. Changes in pectin content of Cabernet Sauvignon grape berries during maturation. 41:111-15.
- See C. S. Thomas. 44:205-10, 211-16.

- Siler, A., and J. R. Morris. Quality effects of carbonation grape juices and their grape-apple blends. 44:320-6.
- Simazu, Y. See J. C. Ogbonna. 40:292-9.
- Sims, C. A., R. P. Bates, and R. P. Johnson. Comparison of pre- and post-fermentation ultrafiltration on the characteristics of sulfited and non-sulfited white wines. 41:182-5.
- _____, R. P. Bates, and R. P. Johnson. Effects of mechanical pruning on the yield and quality of muscadine grapes. 41:273-6.
- _____, R. P. Bates, and J. A. Mortensen. Effects of must polyphenoloxidase activity and timing of sulfite addition on the color and quality of *Vitis rotundifolia* and *Euvitis* hybrid white wines. 42:128-32.
- _____, R. P. Johnson, and R. P. Bates. Quality of a non-sulfited *Vitis rotundifolia* and a *Euvitis* hybrid white wine produced from ultrafiltered juice. 40:272-6.
- Singleton, V. L. Wine and enology: Status and outlook. 43:344-54.
- _____, and E. K. Trousdale. Anthocyanin-tannin interactions explaining differences in polymeric phenols between white and red wines. 43:63-70.
- See J. J. L. Cilliers. 41:84-6.
- See K. Kantz. 41:223-8; 42:309-16.
- Smilanick, J. L., J. M. Harvey, P. L. Hartsell, D. J. Hensen, C. M. Harris, D. C. Fouse, and M. Assemi. Factors influencing sulfite residues in table grapes after sulfur dioxide fumigation. 41:131-6.
- Smucker, A. J. M. See M. McLean. 43:87-9.
- Snyder, R. L. See D. R. Donaldson. 44:431-4.
- Soulis, T. See V. Voulgaropoulos. 42:73-5.
- Souquet, J.-M. See V. Cheynier. 40:36-42; 41:346-9.
- Spayd, S. E., R. L. Wample, R. G. Stevens, R. G. Evans, and A. K. Kawakami. Nitrogen fertilization of White Riesling in Washington: Effects on petiole nutrient concentration, yield, yield components, and vegetative growth. 44:378-86.
- See C. G. Edwards. 42:219-26.
- See J. M. Murphey. 40:189-93, 199-207.
- See R. L. Wample. 44:159-67.
- See D. R. Webster. 44:275-84.
- Spittler, T. D. See I.-M. Tegmo-Larsson. 40:106-8.
- Spittstoesser, D. F., and J. J. Churney. The incidence of sorbic acid-resistant gluconobacters and yeasts on grapes grown in New York State. 43:290-3.
- Steinhauer, R. E. See C. D. Clary. 41:176-81.
- Stevens, D. F., and C. S. Ough. Ethyl carbamate formation: reaction of urea and citrulline with ethanol in wine under low to normal temperature conditions. 44:309-12.
- See C. E. Dautt. 43:318-22.
- See C. S. Ough. 40:219-20; 41:68-73; 42:26-40.
- Stevens, R. G. See S. E. Spayd. 44:378-86.
- See R. L. Wample. 44:159-67.
- Stiles, H. D. See R. G. Goldy. 40:253-8.
- Stoewsand, G. S. See T. Henick-Kling. 44:459-63.
- Striegler, R. K., G. S. Howell, and J. A. Flore. Influence of rootstock on the response of Seyval grapevines to flooding stress. 44:313-19.
- See G. S. Howell. 42:191-8.
- See D. P. Miller. 44:435-40.
- See P. M. Perkins-Veazie. 43:79-82.
- Suzuki, T. See S. Fujinawa. 43:362-6.
- T**
- Tanaka, H. See K. Yokotsuka. 44:371-7.
- Tchorbanov, B., G. Mitchev, G. Lazarova, and D. Popov. Studies on the secondary fermentation of low-alcohol sparkling apple wine. 44:93-8.
- Tegmo-Larsson, I.-M., and T. Henick-Kling. Ethyl carbamate precursors in grape juice and the efficiency of acid urease on their removal. 41:189-92.
- _____, and T. Henick-Kling. The effect of fermentation and extended lees contact on ethyl carbamate formation in New York wine. 41:269-72.
- _____, T. D. Spittler, and S. B. Rodriguez. Effect of malolactic fermentation on ethyl carbamate formation in Chardonnay wine. 40:106-8.
- Tesnière, C. M., R. Baumes, C. Bayonove, and C. Flanzy. Effect of simulated alcoholic fermentation on aroma components of grape berries during anaerobic metabolism. 40:183-8.
- _____, C. Romieu, and M. E. Vayda. Changes in the gene expression of grapes in response to hypoxia. 44:445-51.
- See S. Bitteur. 43:41-8.
- See C. Romieu. 43:129-33.
- Than-Ham, L. See C. Romieu. 43:129-33.
- Thomas, C. S., W. D. Gubler, M. W. Silacci, and R. Miller. Changes in elemental sulfur residues on Pinot noir and Cabernet Sauvignon grape berries during the growing season. 44:205-10.
- _____, R. B. Boulton, M. W. Silacci, and W. D. Gubler. The effect of elemental sulfur, yeast strain, and fermentation medium on hydrogen sulfide production during fermentation. 44:211-16.
- Thomas, D. Y. See R. Degré. 40:309-15.
- Todoroki, H. See S. Fujinawa. 43:362-6.
- Totsuka, A. See Nami Yamamoto. 42:358-63.
- Trioli, G., and C. S. Ough. Causes for inhibition of an acid urease from *Lactobacillus fermentum*. 40:245-52.
- Troton, D., M. Charpentier, B. Robillard, R. Calvayrac, and B. Duteurtre. Evolution of the lipid contents of Champagne wine during the second fermentation of *Saccharomyces cerevisiae*. 40:175-82.
- Trousdale, E. K. See F. F. Monteiro. 40:1-8.
- See V. L. Singleton. 43:63-70.
- U V**
- Ulla-Ulla, M. C. See M. C. Vidal-Carou. 41:160-7.
- Valade, M. See F. Vezinhet. 43:83-6.
- Valcarcel, M. J. See L. Perez. 42:58-62.
- Valpuesta, V. See M. A. Botella. 41:12-15.
- Van Duivenboden, R. J. See G. J. Pilone. 42:153-7.
- Van Epenhuijsen, C. W. See C. M. Kingston. 40:130-4.
- Van Rooyen, T. J. See N. P. Jolly. 44:217-26.
- van Vuuren, H. J. J., and L. M. T. Dicks. *Leuconostoc oenos*: A review. 44:99-112.
- _____, and C. J. Jacobs. Killer yeasts in the wine industry: A review. 43:119-28.
- See C. J. Jacobs. 42:295-300.
- Vayda, M. E. See C. M. Tesnière. 44:445-51.
- Vezinhet, F., J.-N. Hallet, M. Valade, and A. Poulard. Ecological survey of wine yeast strains by molecular methods of identification. 43:83-6.
- Viaux, L. See B. Robillard. 44:387-92.
- Vicente, J. L. See J. C. Rivas-Gonzalo. 44:302-8.
- Vidal-Carou, M. C., A. Ambattle-Espunyes, M. C. Ulla-Ulla, and A. Mariné-Font. Histamine and tyramine in Spanish wines: their formation during the winemaking process. 41:160-7.
- _____, R. Codony-Salcedo, and A. Mariné-Font. Changes in the concentration of histamine and tyramine during wine spoilage at various temperatures. 42:145-9.
- Vignes-Adler, M. See B. Robillard. 44:387-92.
- Vilas, E. P. See J. A. Wolpert. 43:367-9, 384-8.

- Villa, T. G. See E. Longo. 42:141-4.
- Villaroya, B. See T. Delgado. 41:342-5.
- Vincent, O. See J. M. Salmon. 44:56-64.
- Visser, J. H. See J. J. Hunter. 42:237-44.
- Voulgaropoulos, V., T. Soulis, and N. Andricopoulos. Fluorimetric determination of biacetyl in wines after condensation with 3,4-diaminoanisole. 42:73-5.
- W**
- Wagner, J. See C. Boone. 41:37-42.
- Walker, M. A., and J. M. Boursiquot. Ampelographic and isozyme data correcting the misnaming of the grape rootstock SO4 at the University of California, Davis. 43:261-5.
- Wallace, W. See E. J. Waters. 42:123-7.
- Walter, M. H., and H. R. Cameron. Double-stranded RNA isolated from grapevines affected by rupestris stem pitting disease. 42:175-9.
- Wample, R. L. Influence of pre- and post-treatment storage on budbreak of hot water treated cuttings of Cabernet Sauvignon. 44:153-8.
- _____, A. Bary, and T. J. Burr. Heat tolerance of dormant *Vitis vinifera* cuttings. 42:67-72.
- _____, S. E. Spayd, R. G. Evans, and R. G. Stevens. Nitrogen fertilization of White Riesling grapes in Washington: Nitrogen seasonal effects on bud cold hardness and carbohydrate reserves. 44:159-67.
- See J. E. Muniz. 42:341-6.
- See S. E. Spayd. 44:378-86.
- Wardle, D. A. See A. G. Reynolds. 40:109-20, 131-9, 149-54, 299-308, 44:173-9.
- Watanabe, M. See J. C. Ogbonna. 40:292-9.
- Waters, E. J., W. Wallace, and P. J. Williams. Heat haze characteristics of fractionated wine proteins. 42:123-7.
- Watson, B. T. See R. M. Avedovech. 43:253-60.
- See R. Miranda-López. 43:90-2.
- See J. D. Wightman. 43:283-9.
- Watts, J. E. See J. J. Hunter. 42:13-18.
- Webster, D. R., C. G. Edwards, S. E. Spayd, J. C. Peterson, and B. J. Seymour. Influence of vineyard nitrogen fertilization on the concentrations of monoterpenes, higher alcohols, and esters in aged Riesling wines. 44:275-84.
- Weeden, N. F. See B. I. Reisch. 44:441-4.
- Weller, K. M. See C. W. Nagel. 40:143-4.
- Wendt, C. W. See W. N. Lipe. 43:355-61.
- Wightman, J. D., X. Xu, B. M. Yorgey, B. T. Watson, M. R. McDaniel, N. J. Micheals, and A. T. Bakalinsky. Evaluation of genetically modified wine strains of *Saccharomyces cerevisiae*. 43:283-9.
- Wilker, K. L. Hydrolysis of sucrose in eastern U.S. table wines. 43:381-3.
- _____, and J. F. Gallander. Comparison of Seyval blanc wines aged with air- and kiln-dried American white oak. 40:224-6.
- Williams, D. J., P. D. Scudamore-Smith, S. M. Nottingham, and M. Petroff. A comparison of three methods for determining total sulfur dioxide in white wine. 43:227-9.
- Williams, L. E., and P. J. Biscay. Partitioning of dry weight, nitrogen, and potassium in Cabernet Sauvignon grapevines from anthesis until harvest. 42:113-17.
- _____, and R. J. Smith. The effect of rootstock on the partitioning of dry weight, nitrogen and potassium, and root distribution of Cabernet Sauvignon grapevines. 42:118-22.
- Williams, P. J. See N. A. Abbott. 42:167-74.
- See I. L. Francis. 43:23-30.
- See M. A. Sefton. 44:359-70.
- See E. J. Waters. 42:123-7.
- See P. Winterhalter. 41:277-83.
- Wilson, M. A. See R. G. Goldy. 40:253-8.
- Winterhalter, P., M. A. Sefton, and P. J. Williams. Volatile C₁₃-norisoprenoid compounds in Riesling wine are generated from multiple precursors. 41:277-83.
- Wolf, T. K., and M. K. Cook. Seasonal deacclimation patterns of three grape cultivars at constant, warm temperature. 43:171-9.
- _____, B. W. Zoecklein, M. K. Cook, and C. K. Cottingham. Shoot topping and ethephon effects on White Riesling grapes and grapevines. 41:330-41.
- See B. W. Zoecklein. 43:139-48.
- Wolpert, J. A., and E. P. Vilas. Effect of mild leafroll disease on growth, yield, and fruit maturity indices of Riesling and Zinfandel. 43:367-9.
- _____, and E. P. Vilas. Estimating vineyard yield: Introduction to a simple, two-step method. 43:384-8.
- XYZ**
- Xu, X. See J. D. Wightman. 43:283-9.
- Yamamoto, Nami, Nobuki Yamamoto, H. Amemiya, Y. Yokomori, K. Shimizu, and A. Totsuka. Electrophoretic karyotypes of wine yeasts. 42:358-63.
- Yamamoto, Nobuki. See Nami Yamamoto. 42:358-63.
- Yokomori, Y. See Nami Yamamoto. 42:358-63.
- Yokotsuka, K., A. Otaki, A. Naitoh, and H. Tanaka. Controlled simultaneous deacidification and alcohol fermentation of a high-acid grape must using two immobilized yeasts, *Schizosaccharomyces pombe* and *Saccharomyces cerevisiae*. 44:371-7.
- See J. C. Ogbonna. 40:292-9.
- Yokum, G. L. See W. E. Hellman. 40:140-2.
- Yorgey, B. M. See J. D. Wightman. 43:283-9.
- Zambonelli, C. See P. Giudici. 43:370-4; 44:17-21.
- Zamora, F. See M. Calull. 42:268-73.
- Zapata, J. M., A. A. Calderón, R. Muñoz, and A. Ros Barceló. Oxidation of natural hydroxybenzoic acids by grapevine peroxidases: kinetic characteristics and substrate specificity. 43:134-8.
- Zelleke, A., and W. M. Kiewer. The effects of hydrogen cyanamide on enhancing the time and amount of budbreak in young grape vineyards. 40:47-51.
- Zoecklein, B. W., T. K. Wolf, N. W. Duncan, J. M. Judge, and M. K. Cook. Effects of fruit zone leaf removal on yield, fruit composition, and fruit rot incidence of Chardonnay and White Riesling (*Vitis vinifera* L.) grapes. 43:139-48.
- See T. K. Wolf. 41:330-41.

Volume 40, 41, 42, 43, 44
(1989, 1990, 1991, 1992, 1993)
Subject Index

A

- A X R#1 rootstock. 42:118-22.
- Abbreviations and symbols for AJEV manuscripts. 44:484-5.
- Acclimation. nitrogen fertilization effects on White Riesling. 44:159-67.
of *Vitis vinifera*. 42:341-6.
- Acetaldehyde production. grape must lees and insoluble materials effects on. 44:86-92.
in white wines from high acid must. 44:371-7.
- Acetic acid production. by yeasts. 43:370-4.
grape must lees and insoluble materials effects on. 44:86-92.
- Acetic acid bacteria. growth and survival in wine. 40:99-105.
- Acetobacter*. 40:99-105.
- Acid(s). See also specific acids.
fatty. analysis. 42:268-73.
characterization for yeast identification. 40:309-15.
from lipid fractions of leaves and tissues of Cabernet Sauvignon grapes. 44:180-6.
metabolism in grapes. 40:161-9.
xylem exudate. 40:155-60.
hydrolysis. 42:167-74; 44:359-70.
organic. anaerobic metabolism in grapes. 40:161-9.
chromatographic analysis. 40:316-19; 42:1-5.
pH and TA effects on. 40:81-4.
urease. degradation of urea in red wine. 43:362-6.
inhibition from *Lactobacillus fermentum*. 40:245-52.
removal of ethyl carbamate precursors. 41:189-92, 350-4.
- Acidification of sherry musts. 44:400-4.
- Acidity. reduction. 40:233-40, 292-8.
titratable. lactate content effect on. 40:81-4.
malate content effect on. 40:81-4.
total. carbonic maceration effects on Maréchal Foch. 40:170-4.
- Adenine. utilization by yeast during juice fermentation. 43:18-22.
- ADH activity. 44:445-51.
- Aging. wine. bottle-aging potential. 41:277-83.
brandy. 41:342-5.
Champagne. 41:21-8.
oak. 40:224-6; 41:342-5; 43:23-30.
Seyval blanc. 40:224-6.
- Aglycons. 41:277-83.
- Agmatine. effect on accumulation of putrescine in grape leaves. 43:239-43.
- Agrobacterium radiobacter*. to suppress *Agrobacterium tumefaciens* tumor formation. 44:241-8, 249-54.
- Agrobacterium tumefaciens*. 41:325-9; 42:67-72; 44:22-6; 44:153-8, 241-8, 249-54.
- Agrocins. 44:241-8, 49-54.
- Alambic distillation. 41:90-103.
- Alcohol. carbonic anaerobiosis effects on. 43:41-8.
salt effects on composition. 42:252-4.
- Alcoholic fermentation. See also Fermentation.
effects of must lees and insoluble materials on rate. 44:86-92.
kinetics. 41:319-24.
under anisothermal conditions. 44:127-33, 134-8.
n-propanol production during. 44:17-21.
simulated. effect on aroma components of grape berries during anaerobic metabolism. 40:183-8.
simultaneous deacidification. 44:371-7.
sugar transport inhibition effect on production rate. 44:56-64.
volatiles production. 43:206-9.
- Aldehyde. flavor components of white oak. 43:333-8.
- Alpha-amino nitrogen. factor in urea accumulation. 41:68-73.
- Alpha zones. 44:409-30.
- Aluminum in wine. 43:166-70.
- American oak. 43:23-30.
See also Oak.
- Amines. accumulation in Thompson Seedless vines. 41:77-83, 121-5.
biogenic. concentration changes during wine spoilage. 42:145-9.
formation during winemaking. 41:160-7.
- Amino acid(s). contribution to urea formation. 42:199-208, 317-21; 44:35-40.
determination in wine. 40:194-8.
distribution in soluble proteins. 42:150-2.
ethyl esters formation by yeasts. 44:41-48.
in juice. 40:135-9.
in sherry wines. 41:12-15.
metabolism in grapes. 40:161-9.
N-carbamyl. identification in wines and yeast cells. 44:49-55.
nitrogen supplementation of juice effect on utilization and release during fermentation. 43:1-10, 11-17.
profiles in juice and wine. 42:261-7.
protein-polysaccharide complexes in red wine. 42:150-2.
uptake by yeasts. 42:26-40; 44:35-40, 371-7.
xylem exudate. 40:155-60; 42:245-51; 43:275-82.
- Aminotransferase in grapes. 42:209-18.
- Ammonia. contribution to urea formation. 42:317-21.
from arginine. 42:153-7; 44:35-40.
- Ammonium in leaf tissue of Thompson Seedless vines. 41:77-83.
- Ammonium sulfate fractionation. 42:123-7.
- Ampelography. Cynthiana and Norton cultivars. 44:435-40.
rootstock SO4. 43:261-5.
- Anaerobic metabolism. *Leuconostoc oenos*. 40:277-82.
organic and amino acids in grapes. 40:161-9.
phenolic compounds. 44:13-16.
simulated alcoholic fermentation effect on aroma components of grape berries during. 40:183-8.
- Anaerobiosis. 40:161-9, 183-8; 43:129-33; 44:445-51.
- Analysis. See also specific analysis.
aluminum content in wine. 43:166-70.
amino acids. 42:261-7.
biplot. for classification of wines. 44:302-8.
dimethylsulfide and dimethylsulfoxide in wine. 44:327-32.
enzymatic detection of lactic and malic acids in wine. 43:58-62.
ethanolamine. 43:315-17.
fatty acid. 42:268-73.
flavonols. 42:364-6.
flow-injection. 43:93-100.
grape tissue extracts. 41:223-8.
metallic cations. 41:284-8.
odor-active compounds. 43:90-2.
organic acids. 40:316-19; 42:1-5.
phenolics. in red grapes. 41:204-6.
in white grapes. 41:87-9.
polymeric phenols. 41:223-8; 42:309-16.
total acidity. 44:118-20.
total sulfur dioxide in white wine. 43:227-9.
vitispirane precursors. 41:277-83.
- Anatomy of russeting. 42:281-9.
- Anhydrous ethanol. 42:252-4.
- Anisothermal conditions. alcoholic fermentation kinetics. 44:127-33, 134-8.
- Anthocyanidin-3-glucosides. 43:244-8.

- Anthocyanin(s). anaerobic metabolism effects on in grape berry skins. 44:13-16.
analysis by HPLC-diode array spectroscopy. 40:283-91.
effects on polymeric phenols in wines. 42:309-16.
identification. 40:283-91 43:210-14.
partial defoliation effects on. 42:13-18.
-tannin interactions. 43:63-70.
Vitis rotundifolia pigmentation. 40:253-8.
- Antifreeze. evaluation of Frostgard. 44:232-5.
- Antioxidants. 42:255-60.
- API identification system. 42:274-7.
- Appellation of origin of wines. 44:302-8.
- Apple wine, low alcohol sparkling. 44:93-8.
- Apricot wine. 41:229-31.
- Arabinogalactan. 41:29-36; 42:150-2.
- Arginine. contribution to urea formation. 42:317-21.
detection of biochemical characteristics of wine lactic acid bacteria. 42:153-7.
in commercial juice and wine. 42:261-7.
- Aroma. See also Sensory.
components of grape berries. 40:183-8.
lightstruck. 40:265-71.
methoxyypyrazines. 42:103-8, 109-12.
Missouri Seyval blanc. 41:116-20.
oak effects on. 43:23-30.
odor-active compounds in Pinot noir. 43:90-2.
Sauvignon blanc leaf removal effects on. 41:74-6.
simulated alcoholic fermentation effects on. 40:183-8.
sunstruck. 40:265-71.
ultrafiltration effects on. 42:91-6.
- Aromatic aldehydes. in aging wine distillates. 40:31-5.
- Ascorbic acid effects on post-disgorgement oxidative stability of sparkling wine. 44:227-31.
- Aspartate aminotransferase. 42:209-18.
- Assay, glutathione in grapevine tissue. 42:137-40.
nitrogen. 42:47-57.
- Authors' guide. 44:480-5.
- Autolysis, yeast. in Champagne aging. 41:21-8.
- Autoxidation in wine. 41:84-6.
- B**
- Bacteria. energy-yielding (ATP) malolactic enzyme systems. 41:215-18.
malolactic. growth during vinification. 41:48-56.
- Bacterial antagonist to control crown gall. 44:241-8, 249-54.
- Bacteriophage. 42:163-6.
- Barrel aging. See also Aging.
air- and kiln-dried oak. 40:224-6.
oxidation effects on wine distillates during aging. 40:31-5.
- Base temperature for grapevine budbreak and leaf appearance. 40:21-6.
- Bentonite. alternatives to in wine haze reduction. 41:147-55.
effect on aluminum concentration in wine. 43:166-70.
effect on color of Riesling and Vidal wines. 42:354-7.
- Benzyl alcohol. *Botrytis cinerea* inhibition by. 41:265-8.
oxidase. 41:295-300.
- Berry, grape. See also Grape(s).
anaerobic metabolism effects on phenolic compounds. 44:13-16.
anthocyanidin-3-glucosides in skins. 43:244-8.
browning. 44:8-12.
calcium content. 44:187-92.
development. 42:41-6, 281-9; 43:101-10.
leaf area influence. 40:130-4.
drop. gibberellin treatments effects on. 41:142-6.
elemental sulfur residues. 44:205-10.
enlargement. gibberellin treatments effects on. 41:142-6.
fatty acids from lipid fractions of tissues. 44:180-6.
fungicide residues. 44:205-10.
gibberellin effects on. 41:142-6.
glutathione content. 44:8-12, 333-8.
internal browning. 44:8-12.
malic enzyme activity. 43:323-8.
mitochondria injury. 43:129-33.
organic acid and sugar determination by HPLC. 42:237-44.
pectin content changes in during maturation. 41:111-15.
phenolics. 44:13-16.
potassium. 43:323-8; 44:187-92.
ripening. 43:101-10; 44:187-92, 193-7.
delay in. 41:142-6.
glutathione increases. 44:333-8.
pectin content changes during. 41:111-15.
shading effects on. 41:193-200.
water stress effects on. 44:193-7.
xylem discontinuity. 44:187-92, 193-7.
russetting. 42:281-9.
sampling for *Botrytis cinerea*. 44:261-5.
set. effects on early bunch stem necrosis on. 42:290-4.
skin dry mass. 42:13-18.
solute distribution. 43:323-8.
tartaric acid. 43:323-8; 44:13-16.
volume. 42:13-18.
- β -glucuronidase gene for yeast strain identification. 42:6-12.
- Beta zones. 44:409-30.
- Biacetyl in wines. 42:73-5.
- Biocatalyst influence on wine quality. 40:233-40, 292-8; 44:371-7.
- Biogenic amines in wines. 41:160-7; 42:145-9.
- Bioplate, replaceable. in multistage bioreactor for continuous fermentation. 40:292-8.
- Bioreactor, multistage. 40:292-8.
- Biplot analysis for geographical classification of wines. 44:302-8.
- Bird damage and control. 40:140-2.
- Bitter almond taste in wine. 41:295-300.
- Bitterness in wine. See Sensory.
- Blending, wine. color study of blends by Sheffé design. 41:232-40.
- Botrytis cinerea*. 42:41-6, 233-6.
benzyl alcohol inhibition of during grape storage. 41:265-8.
control of. by canopy management to increase evaporative potential. 41:137-41.
by leaf removal. 42:233-6.
by sulfur dioxide fumigation of table grapes. 41:131-6.
infection effects on sherry aging. 42:58-62.
sampling for in harvested wine grapes. 44:261-5.
susceptibility relationship to wax development on grape berries. 40:241-4.
- Bottle aging. potential assessment. 41:277-83.
- Brandy. alambic distillation. 41:90-103.
oxidation effects on flavor. 40:31-5.
- Browning, berry. 44:8-12.
enzymic. 43:134-8.
must. 41:346-9.
wine. 40:36-42, 253-8; 41:84-6; 42:255-60, 347-53, 354-7.
- Bud, grapevine. See also Grapevine.
fruitfulness. shading effects on. 41:168-75.
woody laterals effects on. 40:27-30.
hardiness. 43:355-61.
necrosis. shading effects on. 41:168-75.
- Budbreak. base temperatures for. 40:21-6.
delay. 43:355-61.
hot water treated cuttings of Cabernet Sauvignon. 44:153-8.
hydrogen cyanamide effects on. 40:47-51.
seasonal deacclimation patterns. 43:171-9.
- Bunch rot. See *Botrytis cinerea*.
- C**
- C₆ compounds. carbonic anaerobiosis. 43:41-8.
- ¹⁴C-assimilates. 41:306-12; 44:1-7.
- C₁₃-norisoprenoid compounds. 41:277-83.

- Cabernet franc grapevines. reproductive development. 40:52-60.
 response to minimal pruning. 43:31-37; 44:81-5.
 response to seasonal water deficit. 40:52-60.
 response to virus inoculation. 44:81-5.
 virus infection. 43:31-37.
- Cabernet Sauvignon grapevines. See also Grapevine(s).
 budbreak. 44:153-8.
 callus response to low temperatures *in vitro*. 42:341-6.
 differential thermal analysis of deacclimating buds. 43:355-61.
 heat tolerance of dormant cuttings. 42:67-72; 44:153-8.
 hot water treatment of cuttings. 44:153-8.
 leaf and cluster shading effects on fruit and wine sensory qualities. 41:193-200.
 partial defoliation effects on root development and distribution. 43:71-8.
 pectin content of berries during maturation. 41:111-15.
 rootstock effects on partitioning. 42:118-22.
 shading effects on fruit sensory properties. 41:193-200.
 shoot orientation influence on growth and yield. 40:259-64.
 sugar and organic acid extraction. 42:237-44.
- Cabernet Sauvignon wine. color changes during fermentation and pomace contact. 41:57-67.
 leaf and cluster shading effects on sensory qualities. 41:193-200.
 phenolic changes during fermentation and pomace contact. 41:57-67.
- Caffeic acid. autoxidative reactions of in wine. 41:84-6.
- Caftaric acid. autoxidative reactions in wine. 41:84-6.
- Calcium alginate. gel entrapped *Schizosaccharomyces pombe* for deacidification of wine. 40:233-40; 44:371-7.
 swabs for preservation of wine must yeasts. 40:214-18.
- Calcium tartrate. crystallization kinetics. 44:65-75.
- Callus. response to low temperature. 42:341-6.
 formation. 44:22-6.
- Canopy management. 44:409-30.
Botrytis cinerea control. 41:137-41; 44:409-30.
 bud necrosis control. 41:168-75.
 Cabernet franc vines. 43:31-7; 44:81-5.
 Cabernet Sauvignon vines. 40:259-64; 41:193-200; 43:71-8.
 effects of manipulation techniques on Gewürztraminer grapes and wine quality. 40:121-9; 149-54.
 effects of carbohydrate accumulation. 44:81-5.
 effects on ¹⁴C-assimilate partitioning. 44:1-7.
 effects on monoterpene levels of Gewürztraminer. 40:149-54.
 effects of nitrogen accumulation. 44:81-5, 409-30.
 evaporative potential in fruit zone. 41:137-41.
 fruit zone leaf removal. 43:139-48; 44:409-30.
 fruitfulness. effects on. 41:168-75; 44:409-30.
 muscadine. mechanical pruning. 41:273-6.
 partial defoliation effects on root development and distribution. 43:71-8.
 Riesling vines. 41:330-41.
 Sauvignon blanc vines. 41:74-6.
 Seyval blanc vines. 43:191-9.
 shoot tipping and ethephon treatments effects on Riesling vines. 41:330-41.
 summer hedging effects on de Chaunac vines. 40:109-20, 299-308.
- Canopy microclimate. 42:191-8, 233-6.
 See also Canopy management.
- Capsule(s), tin-lead. contribution to the lead content of wine. 43:180-90.
- Carbohydrate(s). accumulation in Cabernet franc vines. 44:81-5.
 colloids in wine. 41:29-36.
 fermentation. 42:274-7.
 in xylem fluid of Chardonnay vines. 43:275-82.
 partitioning. 44:435-40.
 reserves. nitrogen fertilization effects on in White Riesling. 44:159-67.
- Carbon dioxide production rate in alcoholic fermentation. 41:319-24.
- Carbonation effects on grape juices and grape-apple blends. 44:320-6.
- Carbonic anaerobiosis of grapes. 40:161-9, 183-8; 43:41-8.
- Carbonic maceration. effect on Maréchal Foch must and wine. 40:170-4.
 effect on mitochondrial injury. 43:129-33.
 effect on procyanidin composition of Grenache blanc wines. 44:168-72.
- Carboxylic acids in wine. 41:289-94.
- Carignane grapes. anaerobic metabolism effects on phenolic compounds. 44:13-16.
- Catechin-gallates in white grapes. 41:87-9.
- Champagne wine. foaming proteins in base wine. 44:297-301.
 lipid content during second fermentation of *Saccharomyces cerevisiae*. 40:175-82.
 must oxidation during pressing. 44:393-9.
 stabilization. 41:16-20.
 yeast autolysis during aging. 41:21-8.
- Chaptalization. 42:19-25.
- Characterization. of Majorcan varietal musts and wines. 43:221-6.
 of wine lactic acid bacteria. 42:153-7; 43:233-8.
- Chardonnay grapevines. callus response to low temperatures *in vitro*. 42:341-6.
 differential thermal analysis of deacclimating buds. 43:355-61.
 fruit zone leaf removal effect on yield, composition, and fruit rot. 43:139-48.
 harvesting techniques. 41:176-81.
 heat tolerance of dormant cuttings. 42:67-72.
 rootstock effects on performance in nematode-infected vineyard. 41:126-30.
 xylem fluid flux and composition. 43:275-82.
- Chardonnay juice. volatile composition. 44:359-70.
- Chardonnay wine. evaluation of combinations of wine yeast and *L. oenos* in malolactic fermentation. 43:253-60.
 pre-fermentation treatment. 40:36-42.
- Chemiosmotic energy. 41:215-18.
- Chenin blanc grapevines. fertilization of. 40:85-90, 91-8.
 heat tolerance of dormant cuttings. 42:67-72.
- Chlormequat. effects on early bunch stem necrosis. 42:290-4.
- Chlorogenic acid. 41:84-6.
- Chlorothalonil. russetting induced by. 42:281-9.
- Chromatography, droplet counter-current (DCCC). vitispirane precursor analysis. 41:277-83.
- Chromatography, gas. ethyl carbamate quantification. 43:339-43.
 lactic acid quantification. 42:63-6.
 odor-active compounds identification. 43:90-2.
 volatile compounds analysis. 40:183-8; 43:206-9.
- Chromatography, gradient ion. organic acid determination in juice and wine. 42:1-5.
- Chromatography, high performance liquid. amino acid analysis in juice. 40:135-9.
 anthocyanins analysis. 40:283-91; 43:210-14.
 caffeic acid determination. 41:84-6.
 carboxylic acids determinations. 41:289-94.
 ellagic acid identification and quantification. 41:43-7.
 ethanolamine detection. 43:315-17.
 fatty acids analysis in wine. 42:268-73.
 free amino acids determination in wine. 40:194-8.
 organic acid analysis. 40:316-19.
 phenolic(s). acid and aldehyde concentrations. 41:342-5.
 compounds determination in red grapes. 41:204-6.
 fractionation. 42:327-35.
 polymeric polyphenols isolation and determination. 41:223-8.
 polysaccharide molecular weight determination in must and wine. 40:221-3.
 procyanidin composition of wine. 44:168-72.
 sugar and organic acid determinations in grapes. 42:237-44.
 urea determination. 43:362-6.
- Chromatography, ion. anion content determination. 44:292-6.
 organic acid and sugar determination. 42:237-44.
- Chromatography, size exclusion. 42:327-35.
- Chromosomal patterns for yeast strain identification. 43:83-6.
- Citric acid. determination in juice and wine. 42:1-5.

- Citrulline, reaction with ethanol in ethyl carbamate formation. 44:309-12.
- Clarification, juice. 42:133-6.
must. 44:452-8.
- Climate, effects on grape composition and wine quality. 44:409-30.
effects on yeast diversity in musts. 42:141-4.
influence on anthocyanidin-3-glucosides in skins. 43:244-8.
- Clones, effect on yield and terpene concentration. 43:149-52.
- Closteroviruses. 41:201-3.
- Cluster exposure, influence on monoterpenes and wine olfactory evaluation of Golden Muscat. 44:198-204.
shading effects on Cabernet Sauvignon fruit and wine sensory qualities. 41:193-200.
- Cognac, alambic distillation. 41:90-103.
- Cold hardiness, grapevine. Cabernet Sauvignon. 44:153-8.
cultivar differences in. 42:341-6.
nitrogen fertilization effects on. 44:159-67.
pruning effects on *Vitis vinifera*. 41:251-60.
seasonal deacclimation patterns. 43:171-9.
Vitis vinifera callus *in vitro*. 42:341-6.
- Colloids, isolation from wines. 42:150-2.
- Color, wine. See also Anthocyanin, Browning.
changes during simultaneous yeast/bacterial fermentation and extended pomace contact. 41:57-67.
Missouri Seyval blanc. 41:116-20.
polyphenoloxidase activity effects on. 42:128-32.
Sheffé design to describe color response. 41:232-40.
sulfite addition effects on. 42:128-32.
ultrafiltration effects on. 41:182-5.
- Colorimetric determination of urea in wine. 40:143-4.
- Composition, fruit. See Fruit composition.
- Concord juice, carbonation and ethyl maltol effects on quality. 44:320-6.
- Continuous fermentation of wine. 40:292-8.
- Cork(s), tin-lead capsule contribution to lead content of wine. 43:180-90.
- Corky bark. 43:200-5.
- Crop load, influence on photosynthesis and dry matter partitioning of Seyval vines. 44:139-47.
influence on reproductive and vegetative response of mature vines. 44:435-40.
influence on wine quality and grape composition. 44:409-30.
- Crossflow microfiltration of wines. 41:182-5.
- Crown gall. 41:325-9; 42:67-72; 44:22-6, 153-8, 241-8.
- Cryoprotectant, evaluation of Frostgard. 44:232-5.
- Crystal growth, KHT. 42:336-40.
- Crystallization kinetics of calcium tartrate. 44:65-75.
- Cufex effect on color of Riesling and Vidal wines. 42:354-7.
- Cultivar, character, callus response to low temperatures *in vitro*. 42:341-6.
defoliation effects on. 42:13-18.
low temperature response. 42:341-6.
identification by DNA fingerprinting. 44:266-74.
- Cuticle accumulation on grape berries. 40:241-4.
- Cuvaison. 41:57-67.
- Cyanamide, budbreak enhancement. 40:47-51.
- Cyanidin, in grape skins. 43:244-8.
- D**
- Daktulosphaira vitifoliae*, host suitability of *Vitis californica* Benth. 43:249-52.
- Damascenone, in Chardonnay juice. 44:359-70.
- Deacclimation, *Vitis vinifera*, evaporative cooling effects on. 43:355-61.
pruning effects on cold hardiness and water content. 41:251-60.
seasonal patterns. 43:171-9.
- Deacidification of wine. 40:233-40, 292-8; 44:113-17; 44:371-7.
- Decanoic acid production during vinification. 41:48-56.
- Decarboxylation, measurement of decarboxylating and ethanol-releasing kinetics from a ^{14}C -labeled berry. 40:161-9.
of ferulic and *p*-coumaric acids by lactic acid bacteria. 44:76-80.
- de Chaunac grapevines, summer hedging effects on. 40:109-20, 299-308.
- Defoliation, effects on quality characteristics of Cabernet Sauvignon. 42:13-18.
effects on root development and distribution. 43:71-8.
- Deformability, berry. 44:187-92, 193-7.
- Delphinidin, in grape skins. 43:244-8.
- Depigmented colloids isolation from wines. 42:150-2.
- Descriptive sensory analysis. See also Sensory.
of Missouri Seyval blanc wines. 41:116-20.
of Sauvignon blanc wines. 41:74-6.
of Seyval blanc wines. 41:116-20.
- Dessèchement de la rafle. 41:301-5.
- Development, grape berry. 42:13-18, 41-6, 281-9.
- Developmental stages, resveratrol production. 42:41-6.
sugar and organic acid extractions. 42:237-44.
- 3,4-Diaminoanisole condensation of wine to determine biacetyl, heat tolerance of dormant cuttings. 42:73-5.
- Differential thermal analysis, of deacclimating buds as affected by evaporative cooling. 43:355-61.
- Dimethyl anthranilate as bird repellent. 40:140-2.
- Dimethylsulfide in wine. 44:327-32.
- Dimethylsulfoxide in wine. 44:327-32.
- Disease, grapevine. See also specific disease.
Botrytis cinerea. 40:241-4; 41:137-41; 42:233-6; 44:261-5.
control. 42:175-9, 233-6; 43:200-5.
corky bark. 43:200-5.
crown gall. 41:325-9; 42:67-72; 44:22-6, 153-8, 241-8.
detection. 42:175-9, 233-6; 43:200-5.
fanleaf degeneration complex. 43:38-40; 200-5.
leafroll. 41:201-3; 43:31-7, 38-40; 200-5, 367-9.
powdery mildew. 43:53-7.
Ruprestis stem pitting. 42:175-9; 43:200-5.
virus. 40:67-72; 41:201-3; 44:148-52.
type collection. 43:200-5.
- Distillate, wine, effects of oxidation process on flavor. 40:31-5.
- Distillation, alambic. 41:90-103.
- Distribution, of ^{14}C -assimilates. 41:306-12.
of nitrogen in grapevines. 41:241-50; 42:180-90.
- 5,5'-Dithio-bis (2-nitrobenzoic acid). 43:153-8.
- DMS. See dimethylsulfide.
- DMSO. See Dimethylsulfoxide.
- DNA fingerprinting, for grapevine. 44:266-74.
for wine yeast identification. 40:309-15.
- Dormancy, grapevine, hot water treated cuttings. 44:153-8.
hydrogen cyanamide effect on release from. 40:47-51.
seasonal deacclimation patterns. 43:171-9.
- Double-stranded RNA. 42:175-9.
- Drip irrigation. 42:227-32.
- Droplet counter-current chromatography (DCCC). See Chromatography.
- Dry matter partitioning of Cabernet Sauvignon grapevines. 42:113-17.
of Seyval grapevines. 44:139-47.
- Durif, DNA fingerprinting. 44:266-74.
- Dye-binding assay of wine proteins. 40:189-93; 42:123-7.
- E**
- Early bunch stem necrosis. 42:290-4.
- Ecology of *S. cerevisiae* during spontaneous fermentation. 43:375-80.
- Electron microscopy, virus identification. 41:201-3.
- Electrophoretic karyotypes of wine yeasts. 42:358-63.
patterns for varietal differentiation. 44:255-60.
- Elemental sulfur, effect on hydrogen sulfide production during fermentation. 44:211-16.

- residues on grape berries. 44:205-10.
- ELISA test for grapevine virus detection. 43:38-40.
- Ellagic acid. identification and quantification in muscadine juice. 41:43-7.
- Environmental and management practices affecting grape composition and wine quality. 44:409-30.
- Enzymatic analyses. grape berry. 42:237-44.
wine. 43:58-62.
- Enzyme(s). extraction. 41:295-300.
hydrolysis. arabinogalactan. 41:29-36.
for sensory descriptive analysis. 42:167-74; 44:359-70.
malolactic systems. 41:215-18.
purification. 41:295-300.
- Epicuticular wax on grape berries. 40:241-4.
- Esters. composition of white wines from high acid must. 44:371-7.
nitrogen fertilization influence on concentrations in Riesling wine. 44:275-84.
- Ethanol. acetic acid bacteria effect on concentration in wine. 40:99-105.
effect on mitochondrial injury. 43:129-33.
-releasing kinetics in grape. 40:161-9.
- Ethanolamine determination in wine. 43:315-17.
- Ethephon. effects on early bunch stem necrosis on. 42:290-4.
treatment of Riesling vines. 41:330-41.
- Ethyl carbamate. citrulline reaction with ethanol at low to normal temperatures. 44:309-12.
factors contributing to urea formation. 40:143-4; 41:68-73, 350-4; 43:18-22.
fermentation and extended lees contact effects on formation. 41:269-72.
formation in wine. 40:1-8, 106-8, 219-20; 42:317-21; 43:339-43.
in fortified wines. 43:318-22, 339-43.
precursors in grape juice. 41:189-92; 43:18-22.
urea. reaction with ethanol at low to normal temperatures. 44:309-12.
reduction. 41:350-4.
- Ethyl maltol effects of juice quality. 44:320-6.
- Euvitis hybrid white wines. 40:272-6.; 42:128-32.
- Evaporation potential in fruit zone of grapevine canopy. 41:137-41.
stem heat balance measure. 43:159-65.
- Exotherm analysis of grapevine callus. 42:341-6.
- Extraction of protein from wine lees. 40:65-6.
- Extractive distillation. 42:252-4.
- F**
- False potassium. 41:77-83.
- Fanleaf virus. 43:38-40; 200-5.
- Fatty acids. in grapes. 40:155-60, 161-9.
in wine. 42:268-73.
degradation during second fermentation of Champagne. 40:175-82.
yeast identification profiles. 40:309-15.
- Fermentation. alcoholic. biogenic amine formation. 41:160-7.
kinetics under anisothermal conditions. 44:127-33, 134-8.
lees and insoluble materials effect on rate. 44:86-92.
simultaneous deacidification. 44:371-7.
volatiles production. 43:206-9.
climatic conditions effects on yeast diversity. 42:141-4.
commercial. urea formation in wine. 41:68-73.
continuous. 40:292-8.
effect on aroma components of grape berries. 40:183-8.
ethyl carbamate formation during. 41:68-73, 189-92, 269-72; 42:317-21.
ethyl esters of amino acids formation. 44:41-48.
histamine formation. 41:160-7.
hydrogen sulfide production during. 44:211-16.
killer yeast effect on. 42:295-300.
kinetics. 41:319-24.
lipid content evolution during second fermentation of *Saccharomyces cerevisiae*. 40:175-82.
malolactic. See also Malolactic fermentation.
biogenic amines formation. 41:160-7.
effect on ethyl carbamate formation in wine. 40:106-8.
lactic acid bacteria comparisons for energy yielding (ATP) malolactic enzyme systems. 41:215-18.
Leuconostoc oenos growth. 40:277-82.
Mitomycin C treatment. 42:163-6.
must clarification effects on yeast. 42:133-6.
N-carbamyl amino acids identification. 44:49-55.
phospholipid and sterol contents relationships to yeasts and fermentation activity. 42:301-8.
Pichia membranaefaciens. growth and survival during. 43:329-32.
rate. kinetics under anisothermal conditions. 44:127-33, 134-8.
Saccharomyces cerevisiae. 40:175-82, 309-15; 43:206-9.
secondary. of low alcohol sparkling apple wine. 44:93-8.
simultaneous yeast/bacterial. 41:57-67.
sluggish. See Sluggish fermentation.
sugar transport inhibition effect on production rate. 44:56-64.
temperature evolution influence on rate. 44:127-33.
tyramine formation. 41:160-7.
without sulfur dioxide. 41:313-18.
yeast hulls. 40:61-4.
yeast identification. 40:309-15.
- Fertilization, nitrogen. ethyl carbamate formation in wines effects on. 40:219-20.
influence on monoterpene, higher alcohol, and ester concentrations in Riesling wines. 44:275-84.
long term effects on Chenin blanc vines. 40:85-90.
petiole nutrient concentration, effects on. 44:378-86.
soil-applied. 40:16-20.
Thompson Seedless vines. 42:322-6.
vegetative growth. 44:378-86.
yield components, effects on. 44:378-86.
phosphorus. long-term effects on Chenin blanc vines. 40:85-90.
potassium. long-term effects on Chenin blanc vines. 40:85-90.
Thompson Seedless vines. 40:16-20.
- Ferulic acid. metabolism by wine lactic acid bacteria. 44:76-80.
- Filtration. effects on sparkling wine foam behavior. 44:387-92.
pad. effect on wine quality and browning. 42:347-53.
- Fining. dye-binding assay of soluble protein. 40:189-93.
- Fino sherry. amino acid content. 41:12-15.
- Flame Seedless grapevines. nitrogen fertilization. 42:322-6.
- Flavanols. 40:36-42, 43-6; 42:364-6.
- Flavor. Gewürztraminer berries. 40:149-54.
methoxypyrazines. 42:103-8, 109-12.
Missouri Seyval blanc. 41:116-20.
odor-active compounds. 43:90-2.
precursor analysis. 44:359-70.
phenolic acid and aldehyde components of white oak. 43:333-8.
wine. See also Wine, Sensory, Aroma, specific wine.
bitter almond taste. 41:295-300.
distillates. 40:31-5.
precursors. 41:277-83; 42:167-74.
Seyval blanc. 41:116-20.
ultrafiltration effects on. 42:91-6.
- Flooding stress. rootstock influence on response to. 44:313-19.
- Flow injection analysis. beverage. 43:93-100.
enzymatic detection of lactic and malic acids in wine. 43:58-62.
of metallic cations in wine. 41:284-8.
total acidity in wines. 44:118-20.
- Flowering. *Vitis vinifera* response to seasonal water deficits. 40:52-60.
- Fluoride ions to modify urease activity in wine. 42:79-80.
- Fluorimetric determination of biacetyl in wines. 42:73-5.
- Foam-active compounds in sparkling wines. 42:97-102; 44:297-301, 387-92.
wine filtration effect on behavior. 44:387-92.
- Free radicals. lignin conversion to aromatic aldehydes. 40:31-5.
- Freeze-drying. grapes. for sample extraction. 42:237-44.
- Freeze. injury. differential thermal analysis. 43:355-61.
protection. Frostgard. 44:232-5.

- weed control to control minimum temperatures. 44:431-4.
- French-American hybrids. hedging effects on. 40:109-20, 299-308.
- Frost protection. Frostgard. 44:232-5.
weed control influence on minimum temperatures. 44:431-4.
- Fructose. detection of biochemical characteristics of wine lactic acid bacteria. 42:153-7.
- Fruit. See also Berry.
browning. 44:8-12.
composition. light exposure effects on Gewürztraminer. 40:149-54.
summer hedging effects on de Chaunac. 40:109-20, 299-308.
development. leaf area influence on Italia grapes. 40:130-4.
rot. 41:330-41; 43:139-48.
set. responses to seasonal water deficits. 40:52-60.
- Fumigation. methyl bromide. 44:8-12.
methyl iodide. 44:8-12.
sulfur dioxide. of table grapes. 43:266-74.
Vorlex efficacy in suppressing crown gall. 44:241-8.
- Fungicide(s). powdery mildew treatment. 43:53-7.
residues on berries. 44:205-10.
- Fusel alcohols formation during fermentation. 44:17-21.
- ### G
- Galloylated procyanidins. 44:168-72.
- Gas chromatography. See Chromatography.
- Generalized Procrustes analysis. red port wines. 44:27-34.
- Gene expression in response to hypoxia. 44:445-51.
- Genetic factors relating to grape composition and wine quality. 44:409-30.
- Genomic integration. 41:37-42; 42:6-12.
- Geographical classification of wines. 44:302-8.
- Gewürztraminer grapevines. canopy microclimate. 40:121-9, 149-54.
monoterpene levels of berries. 40:121-9, 149-54.
- Gewürztraminer wine. soluble protein. 40:199-207.
ultrafiltration effects on aroma and flavor. 42:91-6.
on composition and stability. 41:207-14.
- Gibberellin. effects of ripening and berry drop in Thompson Seedless. 41:142-6.
- Girdling. effects on ¹⁴C-assimilate partitioning. 44:1-7.
heat. effects on berry growth and deformability. 44:193-7.
- Gluconic acid. production by *Botrytis* and effect on biological aging of Fino sherry. 42:58-62.
- Gluconobacter*. 40:99-105; 43:290-3.
- Glucose. detection of mannitol from. 42:153-7.
type and level influence on malate metabolism of *Schiz. pombe* cells. 44:113-17.
transport inhibition as limiting factor of fermentation. 44:56-64.
uptake in wine yeasts. 40:9-15.
- Glutathione. 41:346-9; 42:137-40; 44:8-12, 333-8.
- Glutathione:hydroxycinnamic acid ratio in *Vitis vinifera*. 40:320-4.
- Glycerol. production by grape molds. 42:58-62.
- Glycoconjugates. 41:277-83.
- Glycosidic precursors. 44:359-70.
- Golden muscat wine. 44:198-204.
- Gondola sampling for *Botrytis cinerea*. 44:261-5.
- Grape(s). See also Berry and Grapevine.
aminotransferase in. 42:209-18.
anaerobic metabolism of organic and amino acids. 40:161-9.
anthocyanidin-3-glucosides. 43:244-8.
anthocyanins. in *Vitis rotundifolia*. 40:253-8.
-apple blends. 44:320-6.
aroma components. alcoholic fermentation effects on. 40:183-8.
berry. calcium. 44:187-92.
cuticle and wax accumulation. 40:241-4.
deformability. 44:187-92, 193-7.
development. 42:41-6, 281-9; 43:101-10; 44:187-92, 193-7.
drop. 41:142-6.
elemental sulfur residues on. 44:205-10.
enlargement. 41:142-6.
fatty acids. 44:180-6.
glutathione increases at ripening. 44:333-8.
internal browning. 44:8-12.
malic enzyme activity. 43:323-8.
maturation. influence on powdery mildew. 43:53-7.
mitochondria injury. 43:129-33.
pectin content changes in during maturation. 41:111-15.
pericarp. fatty acids composition. 44:180-6.
phenolic compounds concentrations during ripening. 40:43-6.
pigmentation. 40:253-8.
potassium. 44:187-92.
ripening. 40:43-6; 43:101-10; 44:187-92, 193-7, 333-8.
sampling for *Botrytis cinerea*. 44:261-5.
seeds. fatty acids composition. 44:180-6.
skins. anthocyanidin-3-glucosides. 43:244-8.
fatty acids composition. 44:180-6.
solute distribution. 43:323-8.
water stress effect on. 44:193-7.
xylem discontinuity. 44:187-92, 193-7.
browning potential. 40:43-6.
carbonic anaerobiosis. 43:41-8.
cold storage. 43:230-2.
composition. 44:409-30.
leaf and cluster shading effects on. 41:193-200.
long-term fertilization effects on. 40:91-8.
extraction. 42:237-44.
fungicide residues. 44:205-10.
glutathione:hydroxycinnamic acid ratio in *Vitis vinifera*. 40:320-4.
Italia. 40:130-4.
juice. See Juice.
methoxypyrazines in. 42:103-8, 109-12.
phenolics. concentration during ripening. 40:43-6.
identification. 41:87-9, 204-6.
resveratrol production during different developmental stages. 42:41-6.
storage. 42:237-44.
benzyl alcohol use for *Botrytis cinerea* inhibition. 41:265-8.
methyl bromide fumigation. 44:8-12.
sulfur dioxide fumigation during. 41:131-6.
sulfur dioxide fumigation. 41:131-6; 43:266-74.
table. See Table grapes.
tissue extract analysis. 41:223-8.
variety tissue analysis. 41:223-8.
waterberry. 41:301-5.
- Grapevine(s). See also specific cultivar.
Alpha zones. 44:409-30.
anoxia. 44:313-19.
anthocyanidin-3-glucosides in berry skins. 43:244-8.
Beta zones. 44:409-30.
Botrytis bunch rot. 41:137-41; 42:41-6, 233-6; 44:261-5.
budbreak. 40:21-6, 47-51; 43:171-9; 44:153-8.
bud. fruitfulness. 40:27-30.
hardiness. 43:355-61.
necrosis and fruitfulness. 41:168-75.
tissue response to low temperature exotherm. 41:251-60.
¹⁴C-assimilates. distribution. 41:306-12.
partitioning. 44:1-7.
callus response to low temperatures *in vitro*. 42:341-6.
cane tissue responses to low temperature exotherm. 41:251-60.
canopy management. 44:409-30.
effect on fruit and wine sensory qualities. 41:74-6, 193-200.
effect on powdery mildew. 43:53-7.
effect on root development and distribution. 43:71-8.
evaporative potential in fruit zone. 41:137-41.
fruit zone leaf removal. 43:139-48; 44:409-30.
hedging. 40:109-20, 299-308; 44:409-30.
Sauvignon blanc vines. 41:74-6.
shading effects on bud necrosis and fruitfulness. 41:168-75.
shoot positioning. 44:409-30.
thinning. 44:409-30.
yield component path analysis of Okanagan Riesling. 44:173-9.

- canopy microclimate. 42:191-8.
 carbohydrate, accumulation. 44:81-5, 159-67.
 partitioning. 44:435-40.
 cell cultures. 43:134-8.
 clones. 42:175-9; 43:149-52.
 cold hardiness. 41:251-60; 42:191-8; 43:171-9; 44:153-8, 159-67.
 cluster. exposure, influence on monoterpenes and wine olfactory
 evaluation of Golden Muscat. 44:198-204.
 shading. 41:193-200.
 crop load. 44:409-30, 435-40.
 cultivar identification by DNA fingerprinting. 44:266-74.
 deacclimation, seasonal patterns. 43:171-9.
 defoliation effects on. 42:13-18; 43:71-8.
 disease. See Disease and specific disease.
 DNA extraction. 44:266-74.
 dormant buds. 43:171-9.
 dormant cuttings, heat tolerance of. 42:67-72.
 dry matter partitioning. 44:139-47.
 endodormancy. 43:171-9.
 false potassium. 41:77-83.
 fanleaf virus detection. 43:38-40; 200-5.
 fatty acids from lipid fractions of leaves and berry tissue. 44:180-6.
 fertilization. See Fertilization.
 flooding stress. 44:313-19.
 French-American hybrids. 40:109-20, 299-308; 43:191-9.
 frost protection. 44:232-5, 431-4.
 fruit, rot in Chardonnay and White Riesling. 43:139-48.
 fruiting canes. 40:27-30.
 fumigation for crown gall control. 44:241-8.
 gene expression change in response to hypoxia. 44:445-51.
 gibberellin treatments. 41:142-6.
 girdling, effects on ¹⁴C-assimilate partitioning. 44:1-7.
 peduncle. 44:193-7.
 glutathione in tissue. 42:137-40.
 growth. 42:113-17; 43:191-9.
 harvesting techniques. 41:176-81.
 heat girdling. 44:193-7.
 heat tolerance of dormant cuttings. 42:67-72; 44:153-8.
 host suitability to phylloxera. 43:249-52.
 hypoxia. 44:445-51.
 lateral shoots effects on budding performance. 40:27-30.
 leaf. See Leaf.
 leafroll. 41:201-3; 43:31-7, 38-40; 200-5, 367-9.
 mechanical pruning, effects on yield and quality of muscadine.
 41:273-6.
 Okanagan Riesling vines. 44:173-9.
 mineral nutrition. 40:85-90, 91-8; 41:77-83, 241-50; 42:180-90, 227-
 32, 322-6; 43:239-43; 44:159-67, 278-86, 409-30.
 mortality. 44:435-40.
 muscadine, mechanical pruning. 41:273-6.
 nematode resistance. 41:126-30.
 nitrogen, accumulation in Cabernet franc. 44:81-5.
 distribution and translocation. 41:241-50; 42:180-90.
 fertilization. 40:85-90, 91-98; 44:159-67, 278-86.
 organic production. 43:294-5, 296-8.
 partitioning. 42:113-17, 180-90.
 pathogens. 43:200-5.
 petiole analysis. 44:378-86.
 phloem transport. 41:301-5; 44:187-92, 193-7.
 phosphorus fertilization. 40:85-90, 91-98.
 photosynthesis. 42:118-22; 44:139-47, 313-19.
 phylloxera susceptibility evaluation. 44:285-91.
 phytoalexins. 42:41-6.
 potassium, deficiency. 41:77-83, 121-5; 43:239-43.
 fertilization. 40:85-90, 91-98; 42:227-32.
 powdery mildew. 43:53-7; 44:409-30.
 protein synthesis. 44:445-51.
 pruning, effects on carbohydrate and nitrogen accumulation. 44:81-
 5.
 effects on cold hardiness of Merlot cane and bud tissues.
 41:251-60.
 mechanical, on muscadine. 41:273-6.
 on Okanagan Riesling. 44:173-9.
 minimal of Cabernet franc. 43:31-37.
 weight. 44:378-86.
 xylem fluid composition. 40:155-60; 43:275-82.
 putrescine levels. 41:121-5; 43:239-43.
 response to timing of nitrogen fertilization. 42:322-6.
 RFLP analysis of cultivars. 44:266-74.
 root, development and distribution. 43:71-8.
 dry weight. 42:113-17.
 rootstock. 44:409-30.
 effects on partitioning. 42:118-22.
 influence on response to flooding stress. 44:313-19.
 nematode resistance. 41:126-30.
 phylloxera susceptibility evaluation. 44:285-91.
 Selection Oppenheim No. 4 (SO4). 43:261-5.
 -virus interactions. 44:148-52.
 Rupestris stem pitting. 42:175-9; 43:200-5.
 selection for virus resistance. 40:67-72.
 shoot(s). ¹⁴C-assimilate distribution. 41:306-12; 44:1-7.
 positioning. 40:259-64; 44:409-30.
 stem pitting associated virus. 42:175-9.
 summer hedging. 40:109-20, 299-308.
 transpiration. 43:159-65.
 trellising. 42:191-8.
 tumor suppression. 44:241-8, 249-54.
 variety identification by DNA fingerprinting. 44:266-74.
 vegetative growth. 44:378-86, 409-30.
 vine spacing. 44:409-30.
 viroid(s), Davis collection. 43:200-5.
 virus. 40:67-72; 42:175-9.
 Cabernet franc responses to. 43:31-7; 44:81-5.
 Davis collection. 43:200-5.
 detection. 43:38-40.
 inoculation effects on carbohydrate and nitrogen accumula-
 tion. 44:81-5.
 leafroll. 41:201-3; 43:367-9.
 Nicotiana benthamiana as receptor host. 41:201-3.
 resistant vine selection. 40:67-72.
 -rootstock interactions. 44:148-52.
 type collection. 43:200-5.
 Vitis. See Vitis.
 winter injury. 40:109-20, 299-308; 44:159-67.
 yield, components. 44:378-86.
 estimation. 43:384-8.
 xylem, fluid chemistry. 40:155-60; 42:245-51; 43:275-82.
 discontinuity. 44:187-92, 193-7.
 transport. 41:301-5.
 yield. See Yield.
- Graphite furnace atomic absorption spectrometry, aluminum measurement
 in wine. 43:166-70.
- Grenache blanc wines, procyanidin composition. 44:168-72.
- Growth, grapevine. See Grapevine.
- Guide to authors. 44:480-5.
- Gypsum, acidification of sherry must. 44:400-4.
- ### H
- Harvesting techniques, hand- vs. machine harvesting of Chardonnay.
 41:176-81.
- Haze, wine, characteristics of fractionated wine proteins. 42:123-7.
 yeast acid proteases for reduction. 41:147-55.
- Heat, girdling. 44:193-7.
 stress of dormant *Vitis vinifera* cuttings. 42:67-72; 44:153-8.
 sum. 40:21-6.
 test of fractionated wine proteins. 42:123-7.
 tolerance of dormant *Vitis vinifera* cuttings. 42:67-72.
- Hedging. 44:409-30.
 Riesling vines. 41:330-41.
 summer. 40:109-20, 299-308.
- Herbaceous receptor host for closteroviruses from leafroll-infected vines.
 41:201-3.
- Herbicides, control of vineyard minimum temperatures. 44:431-4.
- Heterofermentation. 42:153-7.
- Heterothallism. 43:283-9.

- Hexose uptake in *Saccharomyces cerevisiae* and *Saccharomyces bayanus*. 40:9-15.
- High performance liquid chromatography. See Chromatography.
- Higher alcohols. formation during fermentation. 44:17-21.
in white wines from high acid must. 44:371-7.
- nitrogen fertilization influence on concentrations in Riesling wine. 44:275-84.
- Histamine. concentration changes during wine spoilage. 42:145-9.
formation during winemaking. 41:160-7.
- Homothallism. 43:283-9.
- Hot water treatment for crown gall. 41:325-9; 44:153-8.
- HPLC. See Chromatography.
- Hulls, yeast. See Yeast hulls.
- Hybrid vines. anthocyanin analysis. 40:283-91.
French-American. canopy microclimate. 40:109-20, 299-308.
Vitis. Suwannee. 40:155-60.
- Hydrogen cyanamide effects on budbreak. 40:47-51.
- Hydrogen sulfide production during fermentation. 44:17-21, 211-16.
- Hydrolysis. acid. 42:167-74.
enzyme. 42:167-74.
sucrose. 43:381-3.
- Hydrophobic proteins contribution to foam in Champagne base wine. 44:297-301.
- Hydroxybenzoic acids. oxidation by grapevine peroxidases. 43:134-8.
- Hydroxycinnamic acid. 40:320-4; 41:346-9.
glutathione:hydroxycinnamic acid ratio in *Vitis vinifera*. 40:320-4.
tartrates. 40:43-6.
- Hydroxycinnamoyl-tartaric acid esters in grape skins. 44:13-16.
- Hydroxyproline in wine. 42:150-2.
- Hyperoxidation. effect on procyanidin composition of Grenache blanc wines. 44:168-72.
- Hypoxia. changes in gene expression in response to. 44:445-51.
- I**
- Ice nucleation. evaluation of Frostgard. 44:232-5.
- Identification. of arabinogalactan in red wine. 41:29-36.
of catechin-gallates in white grapes. 41:87-9.
of ellagic acid. 41:43-7.
of odor-active compounds. 43:90-2.
of phenolics. in red grapes. 41:223-8.
in white grapes. 41:87-9.
virus. 41:201-3; 200-5.
yeast strain. 40:309-15.
- Immobilized yeast. 40:233-40, 292-8.
- Immunoassay for *Botrytis cinerea* in harvested wine grapes. 44:261-5.
- Immunosorbent electron microscopy (ISEM) for virus identification. 41:201-3.
- Index, Author. Volumes 40, 41, 42, 43, 44 (1989-1993). 44:486-96.
- Inhibitor(s). of KHT precipitation. 41:16-20.
- Inoculation. of *Kluyveromyces thermotolerans* to must. 41:156-9.
of *Saccharomyces cerevisiae* to must. 41:156-9.
- Inorganic anions in rectified concentrated musts. 44:292-6.
- Insoluble grape solids. effects on decanoic acid production during vinification. 41:48-56.
effects on malolactic bacteria during vinification. 41:48-56.
- In vitro* protein synthesis. 44:445-51.
- In vivo* protein synthesis. 44:445-51.
- Ion chromatography. See Chromatography.
- Iron. contribution to foam constitution in sparkling wines. 42:97-102.
- Irrigation. 42:227-32.
- ISEM. See Immunosorbent electron microscopy.
- Isoelectric focusing. varietal must and wine differentiation. 44:255-60.
- Isolation. of phenolic compounds in red grapes. 41:204-6.
of phenolic compound in white grapes. 41:87-9.
- Isotope ratios to determine the contribution of tin-lead capsules to the lead content of wine. 43:180-90.
- Isozyme data on rootstock SO4. 43:261-5.
profiles of Norton and Cynthiana cultivars. 44:441-4.
- Italia grapes. leaf area effect on fruit development and quality. 40:130-4.
- J**
- Juice, grape. adenine utilization by yeast during fermentation. 43:18-22.
amino acid profiles in. 40:135-9; 42:261-7.
browning. 44:320-6.
carbonation effects on quality. 44:320-6.
colorimetric determination of urea in. 40:143-4.
ellagic acid in. 41:43-7.
ethyl carbamate precursors in. 41:269-72.
ethyl maltol effects on quality. 44:320-6.
flavor precursors. 42:167-74.
muscadine. 41:43-7.
nitrogen supplementation effects on amino acids and urea. 43:1-10, 11-17.
Pichia membranaefaciens. growth and survival during fermentation. 43:329-32.
tartaric, malic, and citric acids determination in. 42:1-5.
treatment effects on yeast during fermentation. 42:133-6.
ultrafiltration. 40:272-6.
urea formation during fermentation. 43:18-22.
- K**
- K1 killer toxin gene. 41:37-42.
- K1/K2 double killer strains. 41:37-42.
- Karyotypes of wine yeasts. 42:358-63.
- Killer yeast. 40:292-8, 309-15; 42:295-300; 43:119-28.
- Kinetics. of alcoholic fermentation. 41:319-24.
prediction of. 44:134-8.
under anisothermal conditions. 44:127-33, 134-8.
of calcium tartrate crystallization. 44:65-75.
- Kloeckera apiculata* for wine haze reduction. 41:147-55.
influence on volatile composition of wine fermented without sulfur dioxide. 41:313-18.
- Kluyveromyces thermotolerans*. yeast strains growth during fermentation of musts inoculated with. 41:156-9.
- Koshu. grapes. must. continuous fermentation. 40:292-8.
- L**
- Labeling, radioactive. demonstrate urea involvement in ethyl carbamate formation in wine. 40:1-8.
measure decarboxylating and ethanol-releasing kinetics from grapes. 40:161-9.
- Lactate. effect on pH and titratable acidity. 40:81-4.
- Lactic acid. control of in winemaking. 41:7-11.
determination in wine. 42:63-6.
enzymatic determination in wine. 43:58-62.
- Lactic acid bacteria. comparison of for energy-yielding (ATP) malolactic enzyme systems. 41:215-18.
effect on ethyl carbamate formation in wine. 40:106-8.
Leuconostoc oenos anaerobic metabolism. 40:277-82.
Nisin sensitivity. 41:1-6, 7-11.
occurrence and characterization from Washington state wines. 43:233-8.
phenol carboxylic acids metabolism. 44:76-80.
- Lactobacillus*. Nisin sensitivity. 41:1-6, 7-11.
- Lactobacillus fermentum*. acid urease inhibition. 40:245-52.
- Lactobacillus plantarum*. 44:76-80.
- Latent virus/rootstock interactions. 44:148-52.
- Lateral shoots. effects on bud performance of fruiting canes. 40:27-30.
- Lead in wine. 43:180-90; 44:459-63, 464-7.
- Leaf, grapevine. analysis of fertilization effects. 40:91-8.
appearance. base temperatures for. 40:21-6.

- area. effect on early bunch stem necrosis. 42:290-4.
influence on fruit development and quality. 40:130-4.
- ¹⁴C-assimilates. 41:306-12; 44:1-7.
- fatty acid from lipid fractions. 44:180-6.
- initiation rate. 40:259-64.
- putrescine accumulation. 41:121-5; 43:239-43.
- removal. effects on composition, fruit rot, and yield. 43:139-48; 44:409-30.
effects on wine sensory qualities. 41:74-6; 44:409-30.
for control of Botrytis bunch rot. 42:233-6.
for control of powdery mildew. 43:53-7.
- shading effects on Cabernet Sauvignon fruit and wine sensory properties. 41:193-200.
- tissue analysis. 41:77-83, 121-5.
- water potential. 42:118-22.
- Leafroll. 41:201-3; 43:31-7, 38-40; 200-5, 367-9.
virus detection. 43:38-40; 200-5.
- Lees, wine. effect on ethyl carbamate formation. 41:269-72.
protein extraction of. 40:65-6.
- Legno riccio*. 42:175-9.
- Leuconostoc oenos*. bacteriophages. 44:99-112.
characterization. 42:219-26, 274-7; 44:99-112.
classification. 44:99-112.
decarboxylation activity. 44:76-80.
evaluation of combination with wine yeast in malolactic fermentation. 43:253-60.
growth under anaerobic conditions. 40:277-82.
habitat. 44:99-112.
identification. 42:219-26.
insoluble grape solids influence on fermentation. 41:48-56.
metabolism. 44:99-112.
morphology. 44:99-112.
native strains. 42:219-26.
Nisin sensitivity. 41:1-6, 7-11.
plasmids. 44:99-112.
polysaccharides. 44:99-112.
prophage curing in. 42:163-6.
- Light. exposure effect on monoterpene levels of Gewürztraminer. 40:149-54.
intensity effects on bud necrosis and bud fruitfulness of Thompson Seedless. 41:168-75.
- Lightstruck aroma. 40:265-71.
- Lignin. oxidation of in aging wine distillates. 40:31-5.
- Limousin oak. 43:23-30.
See also Oak.
- Lipid(s). content of Champagne wine during second fermentation of *Saccharomyces cerevisiae*. 40:175-82.
fractions of grape leaves and tissues. 44:180-6.
- Living mulches for frost control. 44:431-4.
- Low alcohol sparkling apple wine. 44:93-8.
- Low temperature exotherm. responses of bud and cane tissues of *Vitis vinifera*. 41:251-60.
- LTE. See Low temperature exotherm.
- LTI. See Latitude temperature index.
- Lysogeny. 42:163-6.
- M**
- Macroelements. in grapevines. 42:245-51.
in xylem exudate. 40:155-60; 43:275-82.
- Madeira wines. ethyl carbamate behavior during production. 43:339-43.
- Malate. analysis. 40:316-19; 44:292-6.
catabolism. 41:215-18.
decomposition. 40:233-40, 292-8.
degradation. 44:113-17.
effect on pH and titratable acidity. 40:81-4.
inhibition by sulfhydryl reagents and oxalic acids in grape berries. 43:153-8.
- Malic acid. analysis. 40:316-19; 42:1-5.
decomposition. 40:233-40, 292-8; 44:371-7.
distribution in grape berries. 43:323-8.
enzymatic determination in wine. 43:58-62.
to modify urease activity in wine. 42:79-80.
- Malic enzyme. 43:153-8, 323-8.
- Malolactic bacteria. growth during vinification. 41:48-56.
- Malolactic fermentation. 42:63-6, 219-26; 44:76-80.
biogenic amine formation during. 41:160-7.
Cabernet Sauvignon wines. 41:57-67.
color and phenolic changes. 41:57-67.
decanoic acid production. 41:48-56.
effect on ethyl carbamate formation in wine. 40:106-8.
energy-yielding (ATP) enzyme systems. 41:215-18.
Leuconostoc oenos. evaluation of combination with wine yeast. 43:253-60.
growth under anaerobic conditions. 40:277-82.
Nisin effects on. 41:1-6, 7-11.
prophage curing in *Leuconostoc oenos*. 42:163-6.
- Malvidin. in grape skins. 43:244-8.
- Mannitol. detection of biochemical characteristics of wine lactic acid bacteria. 42:153-7.
- Maréchal Foch wine. carbonic maceration. 40:170-4.
- Maturation, grape berry. effect on soluble protein characteristics of juice and wine. 40:199-207.
phenolic compounds in ripening white grapes. 40:43-6.
- Mechanical harvesting. See also Harvesting.
of Chardonnay. 41:176-81.
- Mechanical pruning. of muscadine. 41:273-6.
of Okanagan Riesling vines. 44:173-9.
- Media. single broth culture for tests of heterofermentation, mannitol, and ammonia. 42:153-7.
- Mercury salts. 43:153-8.
- Merlot grapevines. heat tolerance of dormant cuttings. 42:67-72.
pruning effects on cold hardiness and water content during deacclimation of cane and bud tissue. 41:251-60.
- Metabolism, anaerobic in grape. 40:161-9.
- Metallic cations in wine. 41:284-8.
- Methionine metabolism relationship to *n*-propanol production. 44:17-21.
- Methoxypyrazines in Sauvignon blanc grapes and wine. 42:103-8, 109-12.
- Methyl bromide fumigation of Thompson Seedless. 44:8-12.
- Methyl iodide fumigation of Thompson Seedless. 44:8-12.
- Microbial antagonism. 42:295-300.
- Microclimate, grapevine. See also Canopy management.
Botrytis cinerea control. 41:137-41; 42:233-6; 44:409-30.
effect on monoterpene levels of Gewürztraminer. 40:149-54.
evaporative potential in the fruit zone. 41:137-41; 44:409-30.
leaf and cluster shading of Cabernet Sauvignon. 41:193-200.
shading effects on bud necrosis and fruitfulness. 41:168-75.
summer hedging effects on. 40:109-20, 299-308.
- Microelements in grapevines. 42:245-51.
in xylem exudate. 40:155-60, 43:275-82.
- Microvinification. color and phenolic changes in Cabernet Sauvignon wine. 41:57-67.
genomic integration of yeast K1 killer toxin into wine yeasts. 41:37-42.
- Mineral. composition of apricot wine. 41:229-31.
nutrition of grapevines. 42:227-32, 322-6; 43:239-43; 44:409-30.
nitrogen. distribution and translocation. 40:16-20, 85-90, 91-8; 41:241-50.
phosphorus. 40:85-90, 91-8.
potassium. 40:85-90, 91-8; 43:239-43.
Thompson Seedless vines. 41:77-84, 121-5.
- Minirhizotron system for *in situ* root observation studies. 43:87-9.
- Mitochondria. injury. 43:129-33.
- Mitomycin C. 42:163-6.
- Monoterpenes. concentration in Gewürztraminer wine. 40:121-9.
in Chardonnay juice. 44:359-70.

- in Golden Muscat wine. 44:198-204.
nitrogen fertilization influence on concentrations in Riesling wine. 44:275-84.
- mtDNA restriction profiles. 43:83-6.
- Multistage bioreactor for continuous wine fermentation. 40:292-8.
- Muscadine grapevines. pigment characteristics. 40:253-8.
pruning effects on yield and quality. 41:273-6.
- Muscat à petite grains blanc grapevines. clonal and pruning effects on yield and terpene concentration. 43:149-52.
- Must, grape. acidification of sherry. 44:400-4.
carbonic maceration effect on Maréchal Foch. 40:170-4.
characterization. 43:221-6.
clarification effects on yeast during fermentation. 42:133-6; 44:452-8.
climatic condition effects on yeast diversity. 42:141-4.
concentration by reverse osmosis. 42:19-25.
fatty acids composition. 44:180-6.
glutathione:hydroxycinnamic acid ratio in *Vitis vinifera*. 40:320-4.
oxidation. 40:36-42; 41:346-9; 44:393-9.
polysaccharide molecular weight determination. 40:221-3.
rectified. anion content. 44:292-6.
sherry. acidification. 44:400-4.
sterol content. 44:452-8.
varietal differentiation. 44:255-60.
- N**
- N-carbamoylputrescine. 43:239-43.
- N-carbamyl amino acids identification in wines and yeast cells. 44:49-55.
- n*-propanol production during fermentation. 44:17-21.
- Necrosis. shading effects on in Thompson Seedless. 41:168-75.
- Nematode-resistant rootstock. 41:126-30.
- Nicotiana benthamiana* as herbaceous receptor host for closteroviruses from leafroll-affected grapevines. 41:201-3.
- Nisin. 41:1-6, 7-11.
- Nitrogen. accumulation in Cabernet franc vines. 44:81-5.
assay of juice content to predict sluggish fermentation. 42:47-57.
distribution and translocation in grapevines. 41:241-50; 42:180-90.
fertilization. Chenin blanc vines. 40:85-90, 91-8.
effects on ethyl carbamate formation in wine. 40:219-20.
influence on monoterpene, higher alcohol, and ester concentrations in Riesling wine. 44:275-84.
soil-applied. 40:16-20; 44:409-30.
spring-applied. 41:241-50.
summer-applied. 42:180-90.
Thompson Seedless vines. 40:16-20; 42:322-6.
White Riesling vines. 44:159-67, 378-86.
in leaf tissue of Thompson Seedless. 41:77-83.
partitioning. 42:113-17, 118-22, 180-90.
source. in secondary fermentation of low alcohol wine. 44:93-8.
supplementation of grape juice. 43:1-10, 11-17.
translocation. 41:241-50.
utilization during vinification. 42:199-208.
- Noble grapevines. xylem exudate composition. 40:155-60.
- Norisoprenoids in Chardonnay juice. 44:359-70.
- Nutrient demand. N, P, and K fertilization. 40:85-90, 91-8; 44:409-30.
- Nutrition, grapevine. 44:409-30.
effects on early bunch stem necrosis. 42:290-4.
See also Mineral nutrition, Grapevine.
- O**
- Oak. air- and kiln-dried. 40:224-6.
barrel aging. See Barrel aging.
content of phenolic acid and aldehyde in flavor components. 43:333-8.
heating effects on wine sensory characteristics. 43:23-30.
origin effects on wine sensory characteristics. 43:23-30, 333-8.
oxidation effects on wine distillates during aging. 40:31-5.
seasoning effects on wine sensory characteristics. 43:23-30.
white. 43:333-8.
- Odor-active compounds in Pinot noir wines. 43:90-2.
- Okanagan Riesling vines. yield component path analysis. 44:173-9.
- Oloroso sherry amino acid content. 41:12-15.
- Organic acids. analysis. 40:316-19; 42:1-5.
determination in grape juice and wine. 42:1-5.
extraction from grapes for HPLC determination. 42:237-44.
metabolism in grapes. 40:161-9.
xylem fluid. 40:155-60; 42:245-51.
- Organic vineyard production. 43:294-5, 296-8.
- Oxalate. 43:153-8.
- Oxidation. ascorbic acid effects on post-disgorgement oxidative stability of sparkling wine. 44:227-31.
effects on flavor. 40:31-5.
effects on phenolic composition of Grenache and Chardonnay wines. 40:36-42.
hydroxybenzoic acids by grapevine peroxidases. 43:134-8.
must. 40:36-42; 41:346-9; 44:393-9.
non-enzymic. 40:31-5.
peroxidatic. 43:134-8.
wine. 40:36-42, 253-8; 41:84-6; 42:255-60, 347-53, 354-7.
caffeic acid reactions. 41:84-6.
Champagne pressing. 44:393-9.
reduction by chemical additives. 42:255-60.
ultrafiltration effects on. 42:347-53.
- Oxidative phosphorylation. 43:129-33.
- Oxygen. consumption during Champagne pressing. 44:393-9.
effect on acetic acid bacteria growth. 40:99-105.
- P Q**
- Packaging, table grape. influence on post-harvest quality. 43:79-82.
- Paclobutrazol use on Gewürztraminer vines. 40:121-9.
- Partitioning. 42:113-17, 118-22, 180-90.
- p*-coumaric acid. metabolism by wine lactic acid bacteria. 44:76-80.
- Pectin content of maturing Cabernet Sauvignon berries. 41:111-15.
- Pediococcus*. identification and characterization of from Washington state wines. 43:233-8.
sensitivity to Nisin. 41:1-6, 7-11.
- Peonidin. in grape skins. 43:244-8.
- Peroxidatic oxidation. 43:134-8.
- Pericarp. fatty acids composition. 44:180-6.
- Pests. organic vineyard management. 43:294-5, 296-8.
- Pesticides. dimethyl anthranilate as bird repellent. 40:140-2.
- Petiole nutrient concentration. 44:378-86.
- Petite Sirah. DNA fingerprinting. 44:266-74.
- Petunidin. in grape skins. 43:244-8.
- pH-TA relationship. lactate effect on. 40:81-4.
malate effect on. 40:81-4.
- Phenol(s). See also Polyphenols.
-carboxylic acids metabolism by wine lactic acid bacteria. 44:76-80.
interference in soluble protein estimation in white wines. 40:189-93.
- Phenolic(s). acids and aldehydes. in brandies. 41:342-5.
in white oak. 43:333-8.
in white wine. 44:168-72.
anaerobic metabolism effects on in berry skins. 44:13-16.
behavior during must oxidation. 41:346-9.
carbonic maceration effects on. 40:170-4.
changes in Cabernet Sauvignon wines made by simultaneous yeast/bacterial fermentation and pomace contact. 41:57-67.
Chardonnay wines. 40:36-42.
Grenache wines. 40:36-42.
hyperoxidation effect on. 40:36-42.
identification in red grapes. 41:204-6.
in white grapes. 41:87-9.
partial defoliation effects on in Cabernet Sauvignon grapes. 42:13-18.
phytoalexin. *trans*-resveratrol. 43:49-52.
polymeric phenols in wines. 42:309-16.

- pomace contact effect on. 40:36-42.
resveratrol. 43:49-52.
seasonal variations in ripening white grapes. 40:43-6.
- Phloem transport. 41:301-5; 44:193-7.
- Phospholipids. fermentation activity in musts. 42:301-8.
- Phosphorus fertilization effects on Chenin blanc vines. 40:85-90, 91-8.
- Photosynthesis. Cabernet Sauvignon vines. 42:118-22.
Seyval grapevines. 44:139-47.
- Phyllotaxis. 41:306-12; 44:1-7.
- Phylloxera. host suitability. 43:249-52.
rootstock susceptibility evaluation. 44:285-91.
- Phytoalexins in grape berries at different developmental stages. 42:41-6.
- Phytotoxicity. 42:281-9.
- Pichia membranaefaciens*. growth and survival. 43:329-32.
juice and must treatment effects on during fermentation. 42:133-6;
43:329-32.
- Pigment. *Vitis rotundifolia* characteristics. 40:253-8.
- Pinot gris grapevines. 42:175-9.
- Pinot noir grapevines. rupestris stem pitting disease. 42:175-9.
- Pinot noir wines. odor-active compounds. 43:90-2.
- Polyamines in grapevine leaves. 41:77-83, 121-5.
- Polyclar-AT. 43:49-52.
- Polymeric phenols. differences in between red and white wines. 43:63-70.
in grape tissue extracts. 41:223-8.
- Polymers. 42:364-6.
- Polyphe(n)ol(s). See also Phenols, Polymeric phenols.
effects on color and quality of white wines. 42:128-32.
in grape tissue extracts. 41:223-8.
in wine distillates. 40:31-5.
isolation and determination in wines. 42:309-16.
- Polysaccharides. contribution to foam constitution in sparkling wines.
42:97-102.
molecular weight determination in musts and wines by HPLC.
40:221-3.
red wine. 41:29-36.
- Pomace contact. effects on color and phenolics in Cabernet Sauvignon
wine. 41:57-67.
effect on phenolic composition. 40:36-42.
effect on procyanidin composition of wine. 44:168-72.
- Port wine. color evaluation. 44:27-34.
- Potassium. bitartrate. inhibitors in wine. 41:16-20.
concentration and compartmentation. in ripening Shiraz berries.
deficiency in vines. 41:77-83, 121-5; 43:239-43.
distribution in berries. 43:323-8.
false. 41:77-83.
fertilization. Chenin blanc vines. 40:85-90, 91-8.
Thompson Seedless vines. 42:227-32.
hydrogen tartrate. 42:336-40.
partitioning in Cabernet Sauvignon grapevines. 42:113-17, 118-22.
precipitation in wine stabilization. 41:16-20.
- Powdery mildew. 43:53-7; 44:409-30.
- Precipitation. potassium bitartrate. 41:16-20.
- Precursors of ethyl carbamate formation. 41:68-73, 189-92, 269-72.
- Pre-fermentation treatment. hyperoxidation effects on phenolic content and
quality. 40:36-42.
- Pressing. Champagne. 44:393-9.
- Primitivo. DNA fingerprinting. 44:266-74.
- Principal component analysis. red port wines. 44:27-34.
- Proanthocyanidins. 42:364-6.
- Procyanidins. composition in white wines. 44:168-72.
in ripening white grapes. 40:43-6.
- Proline. in commercial juice and wine. 42:261-7.
in sherry. 41:12-15.
- Propagation, grapevines. crown gall control in propagation materials.
41:325-9.
- Prophage curing. 42:163-6.
- n*-Propyl carbamate. in fortified wines. 43:318-22.
- Proteases, yeast acid. effectiveness in wine haze reduction. 41:147-55.
- Protein(s). assay for white wine. 40:189-93
contribution to foam constitution in sparkling wines. 42:97-102;
44:297-301.
extraction from wine lees. 40:65-6.
fraction. varietal differentiation. 44:255-60.
grape maturation effect on stability in juice and wine. 40:199-207.
heat haze characteristics. 42:123-7.
-polysaccharide complexes in red wine. 42:150-2.
stability. 41:147-55.
- Proton extrusion as an indicator of adaptive state if yeast starters for
continuous sparkling wine production. 41:219-22.
- Pruning. 44:409-30.
Cabernet franc vines. 43:31-7; 44:81-5.
Cabernet Sauvignon vines. 40:259-64.
de Chaunac vines. 40:109-20, 299-308.
Gewürztraminer vines. 40:149-54.
mechanized. 44:173-9.
lateral shoots. 40:27-30.
Merlot vines. effects on cold hardiness. 41:251-60.
Muscat à petite grains blanc. 43:149-52.
Okanagan Riesling vines. 44:173-9.
summer hedging. 40:109-20, 299-308.
muscadine. effects on yield and quality. 41:273-6.
Vignoles vines influence on yield and composition. 42:191-8.
weight. nitrogen fertilization effects on. 44:378-86.
xylem exudate. composition from wounds. 40:155-60; 43:275-82.
- Putrescine. agmatine effects on accumulation in grape leaves. 43:239-43.
in grapevines displaying symptoms of potassium deficiency. 41:121-
5; 43:239-43.
- Pyruvic acid production. grape must lees and insoluble solids effects on.
44:86-92.
- Quality, wine. 42:13-18, 167-74, 347-53.
environmental and management practices affecting. 44:409-30.
mechanical pruning effects on muscadine. 41:273-6.
nitrogen source effect on apricot wine. 41:229-31.

R

- Radioactive labeling. 40:1-8, 161-9.
- Radiotracer studies on conversion of ³⁵S-SO₂ in table grapes. 43:266-74.
- Raisins. physical and chemical characteristics. 42:76-8.
- Rectified concentrated musts. 44:292-6.
- Red wine. See Wine.
- Reliance grapes. storage. 43:230-2.
- Reserve nitrogen, grapevine. See Nitrogen.
- Residence time distribution of fluids in bioreactor. 40:292-8.
- Restriction fragment length polymorphism analysis (RFLP) of wine grape
cultivars. 44:266-74.
- Resveratrol. concentration in wine. 43:49-52.
production by grape berries. 42:41-6.
- Reverse osmosis. must concentration. 42:19-25.
- Riesling grapevines. fruit zone leaf removal effect on yield, composition, and
fruit rot. 43:139-48.
leafroll effect on growth, yield, and fruit maturity indices. 43:367-9.
shoot tipping and ethephon treatment. 41:330-41.
- Riesling wine. C₁₃-norisoprenoid compounds in. 41:277-83.
must concentration by reverse osmosis. 42:19-25.
nitrogen fertilization influence on monoterpene, higher alcohol, and
ester concentrations. 44:275-84.
- Ripening, grape. berry pectin content changes during. 41:111-15.
delay. gibberellin treatment. 41:142-6.
leaf area influence on in Italia grapes. 40:130-4.
phenolic compounds in white grapes. 40:43-6.
shading effects on Cabernet Sauvignon. 41:193-200.

- waterberry effects on. 41:301-5.
- RNA, double-stranded. 42:175-9.
- Root(s), grapevine. distribution. 43:71-8.
dry weight. 42:113-17, 118-22.
dynamics. minirhizotron system for *in situ* root observation studies. 43:87-9.
partial defoliation effects on development and distribution. 43:71-8.
- Rootstock(s), grapevine. 44:409-30.
A 5 R#1. 42:118-22.
amino acid content of juice, effects on. 40:135-9.
ampelographic and isozyme data on correcting misnaming of SO4. 43:261-5.
Cabernet Sauvignon. effects on partitioning of dry weight, nitrogen, and potassium. 42:113-17.
certified. 44:148-52.
Chardonnay. effects of on growth and yield. 41:126-30.
clean. 44:148-52.
crown gall control. 41:325-9; 44:22-6, 409-30.
effects on partitioning of dry weight, nitrogen, and potassium in Cabernet Sauvignon vines. 42:113-17.
flooding stress, response to. 44:313-19.
nematode resistance. 41:126-30.
non-*vinifera*. 41:126-30.
phyllomera susceptibility. 44:285-91.
99 Richter. 43:71-8.
St. George rootstock. 42:118-22.
Selection Oppenheim No. 4 (SO4). 43:261-5.
Teleki 5C. 43:261-5; 44:22-6.
-latent virus interactions. 44:148-52.
- Rupestris stem pitting. 42:175-9; 43:200-5.
- Russeting 42:281-9.
- S**
- Saccharomyces bayanus*. hexose uptake. 40:9-15.
- Saccharomyces cerevisiae*. acetic acid production. 43:370-4.
autolysis. during Champagne aging. 41:21-8.
in low alcohol sparkling apple wine. 44:93-8.
continuous fermentation. 40:292-8.
deacidification of wine. 40:233-40, 292-8; 44:371-7.
ecology during spontaneous fermentation. 43:375-80.
electrophoretic karyotypes. 42:358-63.
genetically modified strains. 43:283-9.
growth. of yeast species during fermentation of musts inoculated with. 41:156-9; 43:329-32.
hexose uptake. 40:9-15.
hydrogen sulfide production during fermentation, effect on. 44:211-16.
identification of strains. 40:309-15; 42:6-12; 43:83-6.
influence on volatile composition. of high acid musts. 44:371-7.
of wines fermented without sulfur dioxide. 41:313-18.
insoluble grape solids influence on fermentation. 41:48-56.
juice and must treatment effects on during fermentation. 42:133-6.
lipid content evolution during second fermentation in Champagne wine. 40:175-82.
n-propanol production. 44:17-21.
phospholipid and sterol contents in. 42:301-8.
Pichia membranaefaciens growth during fermentation of juice inoculated with. 43:329-32.
sparkling wine production. 44:217-26.
spontaneous fermentation. 43:375-80.
sugar transport inhibition effects on production rate. 44:56-64.
urea formation. 42:199-208, 317-21.
vitamin effects on growth and fermentation rate. 40:208-13.
volatiles production. 43:206-9; 44:371-7.
- Saccharomyces oviformis*. secondary fermentation in low alcohol sparkling apple wine. 44:93-8.
- St. George rootstock. partitioning. 42:118-22.
- Salt. effects on alcohol composition. 42:252-4.
- Saturn grapes. storage. 43:230-2.
- Sauvignon blanc grapevines. methoxypyrazines in fruit. 42:103-8, 109-12.
- Sauvignon blanc wine. leaf removal treatments effects on aroma and flavor. 41:74-6.
methoxypyrazines in. 42:103-8, 109-12.
- Schizosaccharomyces pombe*. 40:233-40, 292-8; 44:113-17, 371-7.
- Seeds, grape. fatty acids composition. 44:180-6.
- Sensory characteristics of wine. cluster exposure effects on Golden Muscat. 44:198-204.
color evaluation of red port wines. 44:27-34.
development during aging of wine distillates. 40:31-5.
fluorescent light effects on. 40:265-71.
hydrolyzed flavor precursors contribution to quality of Shiraz juice and wine. 42:167-74.
lightstruck aroma. 40:265-71.
methoxypyrazines. 42:103-8, 109-12.
Missouri Seyval blanc. 41:116-20.
oak effects on. 43:23-30.
odor-active compounds. 43:90-2.
shading effects on. 41:193-200.
sparkling wine. 40:265-71.
sunstruck aroma. 40:265-71.
ultrafiltration effects on. 41:182-5; 42:91-6.
vine leaf removal effects on. 41:74-6.
- Seyval blanc grapevines. flooding stress. 44:313-19.
growth and fruiting modification. 43:191-9.
photosynthesis and dry matter partitioning. 44:139-47.
- Seyval blanc wine. aging. 40:224-6.
sensory and chemical analysis. 40:224-6; 41:116-20.
- Shading. See also Canopy management, Microclimate.
effects on bud necrosis and fruitfulness. 41:168-75.
effects on Cabernet Sauvignon sensory qualities. 41:193-200.
- Shedde design for color specification of wines. 41:232-40.
- Sherry. acidification of must. 44:400-4.
amino acid content. 41:12-15.
Botrytis cinerea infection of grapes effects on aging process. 42:58-62.
- Shiraz wine. contribution of hydrolyzed flavor precursors to quality. 42:167-74.
- Shoot(s), grapevine. fertilization effects on growth. 40:85-90.
orientation. Cabernet Sauvignon vines. 40:259-64.
pinching. effects on ¹⁴C-assimilate partitioning. 44:1-7.
positioning and thinning. 44:409-30.
effect of bud necrosis and fruitfulness. 41:168-75.
- Simplex method. 41:289-94.
- Simultaneous distillation extraction. 41:277-83.
- Simultaneous yeast/bacterial fermentation of Cabernet Sauvignon. 41:57-67.
- Skin. dry mass. defoliation effects on. 42:13-18.
fatty acids composition. 44:180-6.
- Sluggish fermentation. killer yeast effects on. 42:295-300.
nitrogen content of juice effect on. 42:47-57.
- Soil. fertilization. 40:16-20, 85-90.
moisture. 44:409-30.
- Soluble protein. estimation in white wines. 40:189-93.
grape maturation effect on. 40:199-207.
- Solute distribution in developing grape berries. 43:323-8.
- Sorbic acid-resistant gluconobacters and yeasts in grapes. 43:290-3.
- Spanish wine. yeast population development. 44:405-8.
- Sparkling wines. adaptive state of yeast starters for continuous production. 41:219-22.
ascorbic acid effects on post-disgorgement oxidative stability. 44:227-31.
film stability. 44:387-92.
filtration. 44:387-92.
foam active compounds in. 42:97-102, 387-92.
stabilization. 41:16-20.
surface-active materials. 44:387-92.
yeast. autolysis during aging. 41:21-8.
hybridization and typing. 44:217-26.
- Spectrophotometric color analysis. red port wines. 44:27-34.

- Spectroscopy, enzymatic detection of L-lactic and L-malic acids in wine. 43:58-62.
- Spermidine, in leaf tissue of Thompson Seedless vines. 41:121-5.
- Spermine, in leaf tissue of Thompson Seedless vines. 41:121-5.
- Spring-applied nitrogen. 41:241-50.
- Stable killer yeast phenotype. 41:37-42.
- Stability test for calcium tartrate in wine. 44:65-75.
- Stabilization, wine. 41:16-20, 207-14; 42:336-40; 44:65-75.
- Stem flow gauge. 43:159-65.
- Stem pitting, grapevine. 42:175-9.
- Sterols, fermentation activity in grape musts. 42:301-8; 44:452-8.
in yeast hulls. 40:61-4.
- Stiellähme. 41:301-5.
- Stilbenes. 43:49-52.
- Storage, wine, ethyl carbamate formation during. 44:309-12.
- Sucrose hydrolysis in eastern U.S. table wine. 43:381-3.
- Sugar(s), extraction from grapes for HPLC determination. 42:237-44.
hexose uptake in wine yeasts. 40:9-15.
in xylem exudate. 40:155-60.
partial defoliation effects on concentration. 42:13-18.
type and level influence on malate metabolism of *Schizosaccharomyces pombe* cells. 44:113-17.
- Sulfite(s), effects on white wine color and quality. 42:128-32.
effects on wine from ultrafiltered juice. 40:272-6.
residues in table grapes after fumigation. 41:131-6; 43:266-74.
- Sulfur dioxide, fumigation of table grapes. 41:131-6; 43:230-2.
residues. 43:266-74.
to reduce browning in white wine. 42:255-60, 354-7.
uptake/retention. 43:266-74.
- Sunstruck aroma. 40:265-71.
- Sustainable agriculture. 43:294-5, 296-8.
- Suwannee grapevines, xylem exudate composition. 40:155-60.
- T**
- Table grapes, benzyl alcohol use for *Botrytis cinerea* inhibition during storage. 41:265-8.
Italy. 40:130-4.
methyl bromide fumigation. 44:8-12.
packaging. 43:79-82.
storage. 41:265-8; 43:230-2; 44:8-12.
sulfite residues. 41:131-6.
sulfur uptake/retention. 43:266-74.
- Tannin(s), -anthocyanin interactions explaining differences in polymeric phenols between red and white wines. 43:63-70.
in grape tissue extracts. 41:223-8.
in muscadine juice. 41:43-7.
polymers in red wines. 42:309-16.
- Tartaric acid, analysis. 40:316-19.
distribution in developing grape berries. 43:323-8.
sherry must acidification. 44:400-4.
- Tartrate, concentration and compartmentation in ethyl carbamate Teleki 5C rootstock. 43:261-5.
partitioning. 42:118-22.
in rectified concentrated musts. 44:292-6.
- Temperature, See also Acclimation, Cold hardiness.
budbreak and leaf appearance requirements. 40:21-6.
cultivar differences in response to. 42:341-6.
fermentation, alcoholic. 44:127-33.
wine storage. 44:309-12.
- Terpene(s), concentration, clonal and pruning effects on in Muscat à petite grains blanc berries. 43:149-52.
in Gewürztraminer berries. 40:149-54.
free volatile, in Golden Muscat. 44:198-204.
potential volatile, in Golden Muscat. 44:198-204.
- Terpenols, carbonic anaerobiosis of berries effects on. 43:41-8.
- Thermal analysis of deep supercooling of *Vitis vinifera* dormant bud and cane tissue. 41:251-60.
- Thermotolerance, Cabernet Sauvignon cuttings. 44:153-8.
- Third party inspection of harvested wine grapes for *Botrytis cinerea*. 44:261-5.
- Thompson Seedless grapevines, berry drop. 41:142-6.
bud fruitfulness. 40:27-30; 41:168-75.
bud necrosis. 41:168-75.
fruiting canes. 40:27-30.
gibberellin treatments. 41:142-6.
internal browning. 44:8-12.
leaf tissue analysis. 41:77-83, 121-5.
nitrogen fertilization. 40:16-20; 42:322-6.
potassium deficiency. 41:77-83, 121-5.
potassium fertilization. 42:227-32.
ripening. 41:142-6.
waterberry. 41:301-5.
- Threonine metabolism relationship to *n*-propanol production. 44:17-21.
- Titrateable acidity, lactate effect on. 40:81-4.
malate effect on. 40:81-4.
- Torulaspora delbrueckii*, influence on volatile composition of wines fermented without sulfur dioxide. 41:313-18.
phospholipid and sterol contents in. 42:301-8.
- Total acidity determination in wines. 44:118-20.
- Toxin produced by killer yeast during fermentation. 42:295-300.
- Translocation of nitrogen in grapevines. 41:241-50; 42:180-90.
- Transpiration measurement in vines. 43:159-65.
- Training system, grapevine. See Canopy management.
- Trellising, See also Canopy management.
for increased evaporative potential in the fruit zone. 41:137-41.
leaf and cluster shading effects on Cabernet Sauvignon fruit and wine sensory qualities. 41:193-200.
Vignoles vines. 42:191-8.
- 1,1,6-Trimethyl-1,2-dihydronaphthalene (TDN). 41:277-83.
- Tronçais oak. 43:23-30.
See also Oak.
- Tyramine, changes in concentration during wine spoilage. 42:145-9.
formation during winemaking. 41:160-7.
- U**
- Ultrafiltration, juice. 40:272-6.
wine, effect on composition and stability. 41:207-14.
pre- and post-fermentation. 41:182-5.
- Uncinula necator*. 43:53-7.
- Unsaturated fatty acids in yeast hulls. 40:61-4.
- Urea, acid urease inhibition. 40:245-52; 43:362-6.
adenine as a possible precursor. 43:18-22.
alpha-amino nitrogen/yeast strain, factors in urea accumulation. 41:68-73; 42:317-21.
amino acid uptake by yeasts effects on. 42:26-40, 317-21; 44:35-40.
colorimetric determination of. 40:143-4.
ethyl carbamate formation, involvement in. 40:1-8; 44:309-12.
formation, in grape juice. 41:189-92; 42:317-21.
in fortified wines. 43:318-22.
in wine. 41:68-73; 42:199-208.
nitrogen fertilization effects on formation in wines. 40:219-20.
nitrogen supplementation of juice effect on release. 43:11-17.
reduction by acid urease. 41:350-4.
- Urease, activity modification by fluoride ions and malic acid. 42:79-80; 43:362-6.
from *Lactobacillus* fermentation. 40:245-52.
- V**
- Vapor distillation. 42:73-5.
- Variability of alcoholic fermentation kinetics. 41:319-24.
- Varietal differentiation of must and wine by protein fraction. 44:255-60.
- Vegetative response of mature vines to cropping stress. 44:435-40.
- Veraison, vine water stress and peduncle girdling effects on berry growth

- and deformability. 44:193-7.
xylem discontinuity. 44:187-92.
- Venus juice. effects of carbonation and ethyl maltol on quality. 44:320-6.
- Vignoles grapevines. 42:191-8.
- Vine. mortality. 44:435-40.
spacing. 44:409-30.
- Vineyard. frost protection. 44:232-5, 431-4.
mechanization. 44:173-9.
mowing. 44:431-4.
nematode resistance. 41:126-30.
organic. 43:294-5.
practices affecting grape composition and wine quality. 44:409-30.
replant. 41:126-30.
yield estimation. 43:384-8.
- Vinification. decanoic acid production during. 41:48-56.
genomic integration of yeast K1 killer toxin into wine yeasts. 41:37-42.
yeast growth during. 41:48-56.
- Viroids, grapevine. Davis virus collection. 43:200-5.
- Virus. See also specific virus.
closteroviruses from leafroll-affected vines. 41:201-3.
Davis collection. 43:200-5.
detection. 43:38-40.
-free grapevines. 42:175-9.
grapevine selection for resistance. 40:67-72.
indexing. 42:175-9.
inoculation effect on carbohydrate and nitrogen accumulation. 44:81-5.
latent. -rootstock interactions. 44:148-52.
leafroll. 43:367-9.
rootstocks/latent virus interactions. 44:148-52.
type collection. 43:200-5.
- Vitamin effects on growth and fermentation rate of wine yeasts. 40:208-13.
- Vitispiranes. precursors in Riesling wine. 41:277-83.
- Vitis aestivalis*. 44:435-40.
- Vitis labrusca* grapevines. resveratrol production. 42:41-6.
- Vitis rotundifolia* vines. coancestry and inbreeding. mechanical pruning. 41:273-6.
pigment characteristics. 40:253-8.
xylem exudate composition. 40:155-60.
- Vitis rotundifolia* wines. non-sulfited white wine from ultrafiltered juice. 40:272-6.
polyphenoloxidase and sulfite effects on color and quality. 42:128-32.
- Vitis vinifera* vines. botrytis bunch rot. 42:41-6, 233-6.
bud deacclimation. 43:355-61.
elemental sulfur residues on berries. 44:205-10.
evapotranspiration. 43:159-65.
heat tolerance of dormant cutting. 42:67-72.
leaf removal. 42:233-6.
monoterpene levels of Gewürztraminer. 40:149-54.
nitrogen fertilization. 44:378-86.
partial defoliation. 42:13-18.
peduncle girdling effects on berry growth and deformability. 44:193-7.
phylloxera. 43:249-52.
powdery mildew control. 43:53-7.
pruning effects on cold hardiness and water content. 41:251-60.
reproductive development. 40:52-60.
resveratrol production. 42:41-6.
seasonal water deficits, responses to. 40:52-60.
temperature effects on callus *in vitro*. 42:341-6.
transpiration. 43:159-65.
xylem exudate. chemistry. 40:155-60; 41:301-5; 42:245-51; 43:275-82.
discontinuity. 44:187-92, 193-7.
water stress effects on berry growth and deformability. 44:193-7.
- Volatile(s). carbonic anaerobiosis effects on. 43:41-8.
composition of Chardonnay juice. 44:359-70.
phenols. 44:359-70.
- production during vinification. 41:48-56; 43:206-9.
yeast influence on. 41:313-18; 44:371-7.
- Volatile fatty acids. profile for wine yeast strain identification. 40:309-15.
- Vosges oak. 43:23-30.
See also Oak.

W

- Water. content of bud and cane tissue. 41:251-60.
effects on early bunch stem necrosis on. 42:290-4.
flow measurement in vines by stem heat balance method. 43:159-65.
potential. *Vitis vinifera* responses to seasonal deficit. 40:52-60.
stress. effects on berry growth and deformability. 44:193-7.
- Waterberry. 41:301-5.
- Wax accumulation on grape berries. 40:241-4.
- White Riesling grapevines. callus response to low temperatures *in vitro*. 42:341-6.
fruit zone leaf removal effect on yield, composition, and fruit rot. 43:139-48.
nitrogen fertilization. 44:378-86.
- White Riesling juice. soluble protein characteristics. 40:199-207.
- White Riesling wine. grape maturity effect on soluble protein. 40:199-207.
ultrafiltration. 41:207-14; 42:91-6.
- White wine. See Wine.
- Wine(s). See also specific wine.
aging. See Aging.
aluminum content and sources. 43:166-70.
amino acid. content of sherries. 41:12-15.
ethyl esters formation. 44:41-48.
N-carbamyl identification. 44:49-55.
profiles of commercial juice and wine. 42:261-7.
anthocyanins. 40:283-91 43:210-14.
-tannin interactions. 43:63-70.
appellation of origin. 44:302-8.
apple. low alcohol sparkling. 44:93-8.
apricot. 41:229-31.
aroma. See also Sensory
leaf removal effects on. 41:74-6.
Missouri Seyval blanc sensory and chemical analyses. 41:116-20.
autoxidative reaction of caffeic acid in. 41:84-6.
bacteriophage contamination. 42:163-6.
benzyl alcohol oxidase isolation and characterization. 41:295-300.
biacetyl in. 42:73-5.
biogenic amines formation. 41:160-7.
biplot analysis for classification. 44:302-8.
blending. 41:232-40.
browning. 40:36-42, 253-8.; 41:84-6; 42:128-32, 255-60, 347-53, 354-7.
C₁₃-norisoprenoid compounds. 41:277-83.
caffeic acid in. 41:84-6.
calcium tartrate crystallization kinetics. 44:65-75.
canopy manipulation effects on wine quality. 40:121-9; 41:193-200.
carbonic maceration. 40:170-4.
carboxylic acids determination. 41:289-94.
Champagne. aging. 41:21-8.
foam. 42:97-102; 44:297-301.
lipid content. 40:175-82.
must oxidation during pressing. 44:393-9.
chaptalization. 42:19-25.
citric acid determination in. 42:1-5.
climatic conditions effects on yeast diversity. 42:141-4.
cluster exposure effects on olfactory evaluation of Golden Muscat. 44:198-204.
color. See also Color.
changes during simultaneous yeast/bacterial fermentation and pomace contact. 41:57-67.
Missouri Seyval blanc. 41:116-20.
Sheffé design. 41:232-40.
ultrafiltration effects on. 40:272-6; 41:182-5.
continuous fermentation. 40:292-8.
deacidification. 40:233-40, 292-8.
dimethylsulfide and dimethylsulfoxide in wine. 44:327-32.

- distillates. 40:31-5.
 ethanol. concentration. 40:99-105.
 ethanalamine determination. 43:315-17.
 ethyl carbamate formation in. 40:1-8, 106-8, 219-20; 41:68-73, 189-92, 269-72; 43:318-22, 339-43; 44:309-12.
Euvtis. ultrafiltration. 41:182-5.
 fatty acids analysis. 42:268-73.
 fermentation. See also Fermentation and Malolactic fermentation.
 without sulfur dioxide. 41:313-18.
 flavor. See also Flavor and Sensory.
 Missouri Seyval blanc. 41:116-20.
 oak effects on. 43:23-30.
 precursors. 41:277-83; 42:167-74.
 Sauvignon blanc. 41:74-6.
 fortified. 43:318-22, 339-43.
 geographical classification. 44:302-8.
 haze. 40:189-93; 41:147-55; 42:123-7.
 histamine formation. 41:160-7.
 hydrogen sulfide production during fermentation. 44:211-16.
 hydrolysis of sucrose. 43:381-3.
 hyperoxidation. 40:36-42.
 insoluble solids. 41:48-56.
 killer yeast effect on fermentation. 42:295-300.
 lactic acid. determination. 42:63-6; 43:58-62.
 lactic acid bacteria. 42:153-7; 43:233-8.
 lead content. 43:180-90; 44:459-63, 464-7.
 lees, effect on ethyl carbamate formation. 41:269-72.
 protein extraction from. 40:65-6.
 low alcohol. 44:93-8.
 Madeira. ethyl carbamate production during production. 43:339-43.
 malic acid determination. 42:1-5; 43:58-62.
 Majorcan. characteristics. 43:221-6.
 malolactic fermentation. See Fermentation.
 mechanical pruning effects on quality. 41:273-6.
 metallic cation determination by flow injection analysis. 41:284-8.
 methoxypyrazines in. 42:103-8, 109-12.
 muscadine. 41:273-6.
 N-carbamyl amino acids identification. 44:49-55.
 Nisin use to control lactic acid bacteria. 41:7-11.
 oak aging. See Aging.
 oak model wine extracts. 43:23-30.
 odor-active compounds. 43:90-2.
 oxidation. 40:31-5; 42:255-60, 347-53, 254-7.
 phenolic(s). See also Phenolics.
 content. 40:36-42; 41:57-67.
 differences in between red and white wines. 43:63-70.
 polymeric phenols. 43:63-70.
 polysaccharides. 40:221-3; 41:29-36.
 pomace contact effect on phenolic content and quality. 40:36-42.
 potassium bitartrate precipitation. 41:16-20.
 pre-fermentation treatment. 40:36-42.
 procyanidin composition. 44:168-72.
 production in the U.S. 43:344-54.
 n-propyl carbamate in fortified wines. 43:318-22.
 protein. extraction from lees. 40:65-6.
 fraction. for varietal differentiation. 44:255-60.
 heat haze characteristics. 42:123-7.
 -saccharide complexes in. 42:150-2.
 wine haze reduction. 41:147-55.
 quality. environmental and management practices affecting. 44:409-30.
 grapevine defoliation effects on. 42:13-18.
 reverse osmosis concentration of Riesling. 42:19-25.
 sensory analysis. See also Descriptive sensory analysis, Sensory, Flavor, and Aroma.
 color evaluation of red port wines. 44:27-34.
 hydrolyzed flavor precursors contribution to quality of Shiraz juice and wine. 42:167-74.
 insoluble solids effects on. 41:48-56.
 leaf removal treatments effects on. 41:74-6.
 mechanical pruning effects on. 41:273-6.
 odor-active compounds. 43:90-2.
 polyphenoloxidase and sulfite effects on. 42:128-32.
 ultrafiltration effects on. 41:182-5; 42:91-6.
 simultaneous yeast/bacterial fermentation. 41:57-67.
 sluggish fermentation. 42:295-300.
 soluble protein. 40:189-93, 199-207.
 Spanish. 44:405-8.
 sparkling. See also Sparkling wine.
 ascorbic acid effects on post-disgorgement oxidative stability. 44:227-31.
 filtration effects on foam behavior. 44:387-92.
 film stability. 44:387-92.
 foam active compounds in. 42:97-102; 44:297-301, 387-92.
 lipid content. 40:175-82.
 light effect on sensory qualities. 40:265-71.
 low alcohol. 44:93-8.
 surface-active materials. 44:387-92.
 yeast. hybridization and typing. 44:217-26.
 population development. 44:405-8.
 starters for continuous production. 41:219-22.
 spoilage. 42:145-9.
 stability. potassium bitartrate precipitation. 41:16-20.
 stabilization. 41:16-20, 207-14; 42:336-40.
 sucrose hydrolysis. 43:381-3.
 sulfited. 40:272-6.
 sulfur dioxide. determination. 43:227-9.
 to reduce browning. 42:255-60.
 tartaric acid determination in. 42:1-5.
 total acidity determination in. 44:118-20.
 tyramine formation. 41:160-7.
 ultrafiltration. 40:272-6; 41:182-5, 207-14; 42:91-6.
 urea. determination. 40:143-4; 43:362-6.
 formation. 41:68-73; 42:199-208, 317-21.
 in fortified wines. 43:318-22.
 involvement in ethyl carbamate formation. 40:1-8, 219-20; 44:309-12.
 urease activity in. 42:79-80; 43:362-6.
 varietal differentiation. 44:255-60.
 vine leaf removal treatments effects on aroma and flavor. 41:74-6.
 volatile composition. 41:313-18.
 white. total sulfur dioxide determination. 43:227-9.
 yeast. See yeast.
 Winemaking. status and outlook. 43:344-54.
- ### XYZ
- Xylem exudate. chemistry. 40:155-60; 42:245-51; 43:275-82.
 transport. 41:301-5.
- Yeast(s). See also specific yeast.
 absorption of urea. 44:35-40.
 acetic acid production. 43:370-4; 44:86-92.
 acid proteases for wine haze reduction. 41:147-55.
 adenine utilization during juice fermentation. 43:18-22.
 amino acid. ethyl esters formation. 44:41-48.
 uptake by. 42:26-40; 43:1-10, 11-17; 44:35-40.
 autolysis. during Champagne aging. 41:21-8.
 in low alcohol sparkling apple wine. 44:93-8.
 breeding. 43:370-4.
 climatic conditions effects on diversity in musts. 42:141-4.
 contribution of strains to urea accumulation in wines. 42:199-208, 317-21.
 deacidification. 44:371-7.
 diversity. 42:141-4.
 DNA fingerprinting. 40:309-15.
 ecology. 43:375-80.
 effect on urea formation. 41:68-73; 44:35-40.
 electrophoretic karyotypes. 42:358-63.
 enological practices effects on population. 44:405-8.
 ethanol tolerance. 44:217-26.
 ethyl esters of amino acids formation. 44:41-48.
 evaluation of combinations with *L. oenos* in malolactic fermentation of Chardonnay wine. 43:253-60.
 excretion of urea. 44:35-40.
 genetically modified strains. 43:283-9.
 genomic integration. 41:37-42; 42:6-12.
 ghosts. 41:48-56.
 growth during vinification. 41:48-56, 156-9; 43:329-32.
 hexose uptake in. 40:9-15.
 hulls. 40:61-4.

- hybridization. 44:217-26.
 identification of strains. 40:309-15; 42:6-12, 219-26; 43:83-6.
 immobilized. 40:233-40, 292-8; 44:371-7.
 fibers. 44:371-7.
 influence on volatile composition of wines fermented without sulfur dioxide. 41:313-18.
 juice treatment effects on. 42:133-6.
 K1/K2 double killer strains. 41:37-42.
 killer. effect on wine fermentation. 42:295-300.
 identification. 40:309-15.
 review. 43:119-28.
 Kluyveromyces thermotolerans. 41:156-9.
 Lactobacillus brevis. 44:76-80.
 Lactobacillus plantarum. 44:76-80.
 Leuconostoc oenos. 40:277-82; 41:1-6, 7-11, 48-56, 156-9; 42:163-6, 219-26, 274-7; 43:253-60; 44:76-80, 99-112.
 See also *Leuconostoc oenos*.
 molecular methods of identification. 43:83-6.
 must treatment effects on. 42:133-6.
 native strains. 42:219-26.
 n-carbamyl amino acids identification in cells. 44:49-55.
 n-propanol production. 44:17-21.
 Pediococcus. 43:233-8; 44:76-80.
 Pichia membranaefaciens. growth and survival. 43:329-32.
 population. viticultural and enological practices effects on. 44:405-8.
 preservation by drying on calcium alginate swabs. 40:214-18.
 Saccharomyces bayanus. 40:9-15; 44:217-26.
 See also *Saccharomyces bayanus*.
 Saccharomyces cerevisiae. 40:9-15, 175-82, 208-13, 233-40, 292-8, 309-15; 41:156-9; 42:6-12, 301-8; 43:83-6, 206-9, 283-9, 370-4; 44:17-21, 56-64, 93-8, 217-26, 371-7.
 See also *Saccharomyces cerevisiae*.
 Saccharomyces fermentati. 40:233-40, 292-8.
 See also *Saccharomyces fermentati*.
 Saccharomyces oviformis. 44:93-8.
 Schizosaccharomyces pombe. 40:233-40; 44:113-17, 371-7.
 sorbic acid-resistant. 43:290-3.
 starters. for sparkling wine production. 41:219-22; 44:217-26.
 sterol content of musts in the presence of growing cells. 44:452-8.
 strain. identification. 40:309-15; 42:6-12; 43:83-6.
 effect on hydrogen sulfide production during fermentation. 44:211-16.
 influence on n-propanol production. 44:17-21.
 sugar transport inhibition effect on production rate. 44:56-64.
 survival factors. 40:61-4.
 Torulaspora delbrueckii. 42:301-8.
 See also *Torulaspora delbrueckii*.
 typing. 44:217-26.
 viable cells in wine. composition of white wines from high acid must. 44:371-7.
 vitamin effects on growth and fermentation rate. 40:208-13.
 viticultural practices effects on population. 44:405-8.
 Yield, grapevine. Cabernet Sauvignon. 40:259-64.
 canopy manipulation. See Canopy management, Pruning.
 Chardonnay vines. 43:139-48.
 clonal and pruning effects on. 43:149-52.
 component path analysis of Okanagan Riesling vines. 44:173-9.
 de Chaunac vines. 40:299-308.
 fruit zone leaf removal effects on. 43:139-48.
 Gewürztraminer vines. 40:121-9.
 harvesting techniques effects on. 41:176-81.
 Muscat à petite grains blanc vines. 43:149-52.
 nitrogen fertilization effects on. 40:85-90; 44:378-86.
 phosphorus fertilization effects on. 40:85-90.
 potassium effects on. 40:85-90.
 Riesling vines. 43:139-48.
 shoot orientation influence on. 40:259-64.
 summer hedging effects on. 40:109-20, 299-308.
 water deficit, response to. 40:52-60.
 White Riesling vines. 43:139-48; 44:378-86.
 Zinfandel grapevines. DNA fingerprinting. 44:266-74.
 leafroll effect on growth, yield, and fruit maturity indices. 43:367-9.

